| | |
|---|---|
| **Recess Type Cabinet** | 4 |
| **CO2** | 4 |

**Floor 9**

| | |
|---|---|
| **Stand Type Cabinet** | 2 |
| **Recess Type Cabinet** | 4 |
| **CO2** | 4 |

**Floor 10**

| | |
|---|---|
| **Stand Type Cabinet** | 2 |
| **Recess Type Cabinet** | 4 |
| **CO2** | 4 |

**Floor 11**

| | |
|---|---|
| **Stand Type Cabinet** | 2 |
| **Recess Type Cabinet** | 4 |
| **CO2** | 4 |

**Roof**

| | |
|---|---|
| **Stand Type Cabinet** | 2 |
| **Recess Type Cabinet** | 4 |
| **CO2** | 4 |

# งานระบบปรับอากาศ

**QUOTATION NO. PNS20-PN-019-CHW--R-00**

**CUSTOMER** : **EEC**

**EEC Engineering Network CO., Ltd**

**ATTENTION** : **Chamnan Saiwong**

**PROJECT** : **โครงการ ศูนย์ราชการ โซน C (อาคารทางทิศตะวันตก)**

**PREPARE BY** : **Pimmada N.**

**DATE** : **04-Jan-21**

**VALIDY** : **30 DAYS**

| UNIT NO. | CARRIER MODEL | FCU TYPE | CAPACITY CFM | CAPACITY BTUH | ENTERING AIR DB(F) | ENTERING AIR WB(F) | ESP. Pa | POWER SUPPLY | REFRIGERANT | Q'TY | UNIT PRICE (BAHT) | AMOUNT (BAHT) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **SPLIT TYPE INVERTER AIR CONDITIONER (R-32)** | | | | | | | | | | | |
| W1C-B1F-02 TO 03 | 40VCT018W | 4 CST | 800 | 19,600 | 80 | 67 | - | 220V | CHW | 2 | 36,500 | 73,000 |
| W1-B1F-01 TO 02 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1C-B2F-01 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1C-B1F-01 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1C-1F-01 | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W1C-1F-02(ST.BY) | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W2C-B2F-01 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2C-B1F-01 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1C-1F-03 TO 04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1A-1F-01 TO 04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 3 | 40,400 | 121,200 |
| W1A-1F-05 TO 06 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1A-1F-07 TO 12 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 6 | 40,400 | 242,400 |
| W1A-1F-13 TO 18 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 6 | 40,400 | 242,400 |
| W1A-1F-19 TO 20 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1A-1F-21 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1A-1F-22 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1C-2F-01 | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W1A-1F-23 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1A-1F-24 TO 27 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |
| W1B-1F-01 TO 02 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1B-1F-03 TO 04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1B-1F-05 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1B-1F-06 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1B-1F-07 TO 13 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 7 | 40,400 | 282,800 |
| W1C-2F-02(ST.BY) | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W1C-3F-01 | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W1C-3F-02(ST.BY) | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W1B-1F-14 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1B-1F-15 TO 18 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |
| W1C-2F-03 TO 04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1A-2F-01 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1A-2F-02 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1A-2F-03 TO 05 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 3 | 40,400 | 121,200 |
| W1A-2F-06 TO 14 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 9 | 40,400 | 363,600 |
| W1A-2F-15 TO 27 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 13 | 40,400 | 525,200 |
| W1A-2F-28 TO 29 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1A-2F-30 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1A-2F-31 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1A-2F-32 TO 33 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1A-2F-34 TO 39 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 6 | 40,400 | 242,400 |
| W1B-2F-01 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1B-2F-02 TO 10 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 9 | 40,400 | 363,600 |
| W1B-2F-11 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1B-2F-12 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1B-2F-13 TO 14 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1C-4F-01 | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W1C-4F-02(ST.BY) | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W1B-2F-15 TO 21 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 7 | 40,400 | 282,800 |
| W1B-2F-22 TO 23 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1C-3F-03 TO 04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1A-3F-01 TO 10 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 10 | 40,400 | 404,000 |
| W1A-3F-11 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1A-3F-12 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1A-3F-13 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1A-3F-14 TO 18 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 5 | 40,400 | 202,000 |
| W1A-3F-19 TO 25 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 7 | 40,400 | 282,800 |
| W1A-3F-26 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1A-3F-27 TO 28 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1A-3F-29 TO 31 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 3 | 40,400 | 121,200 |
| W1A-3F-32 TO 35 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |

**QUOTATION NO. PNS20-PN-019-CHW--R-00**

**CUSTOMER** : **EEC**

**EEC Engineering Network CO., Ltd**

**ATTENTION** : **Chamnan Saiwong**

**PROJECT** : **โครงการ ศูนย์ราชการ โซน C (อาคารทางทิศตะวันตก)**

**PREPARE BY** : **Pimmada N.**

**DATE** : **04-Jan-21**

**VALIDY** : **30 DAYS**

| UNIT NO. | CARRIER MODEL | FCU TYPE | CAPACITY CFM | CAPACITY BTUH | ENTERING AIR DB(F) | ENTERING AIR WB(F) | ESP. Pa | POWER SUPPLY | REFRIGERANT | Q'TY | UNIT PRICE (BAHT) | AMOUNT (BAHT) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| W1B-3F-01 TO 06 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 6 | 40,400 | 242,400 |
| W1B-3F-09 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1B-3F-10 TO 14 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 5 | 40,400 | 202,000 |
| W1B-3F-15 TO 16 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1B-3F-17 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1B-3F-18 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1C-5F-01 | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W1C-5F-02(ST.BY) | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W1B-3F-19 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1C-4F-03 TO 04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1A-4F-01 TO 10 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 10 | 40,400 | 404,000 |
| W1A-4F-11 TO 20 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 10 | 40,400 | 404,000 |
| W1A-4F-21 TO 22 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1A-4F-23 TO 26 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |
| W1A-4F-27 TO 29 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1B-4F-01 TO 11 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 11 | 40,400 | 444,400 |
| W1B-4F-12 TO 14 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 3 | 40,400 | 121,200 |
| W1B-4F-15 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1B-4F-16 TO 17 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1B-4F-18 TO 22 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 5 | 40,400 | 202,000 |
| W1B-4F-23 TO 25 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 3 | 40,400 | 121,200 |
| W2-4A-03 | 39GNS0609-6/12W-1HDT-FDA225-2HP | VDT | 84,849 | 1,400 | 7 | 14 | 200.00 | 400V | CHW | 1 | 138,000 | 138,000 |
| W2-4A-04 | 39GNS0609-6/12W-1HDT-FDA225-2HP | VDT | 84,849 | 1,400 | 7 | 14 | 200.00 | 400V | CHW | 1 | 138,000 | 138,000 |
| W1C-6F-01 | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W1C-6F-02(ST.BY) | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W1C-5F-03 TO 04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1A-5F-01 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1A-5F-02 TO 03 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1A-5F-04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1A-5F-05 TO 16 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 12 | 40,400 | 484,800 |
| W1A-5F-17 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1A-5F-18 TO 20 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 3 | 40,400 | 121,200 |
| W1A-5F-21 TO 24 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |
| W1B-5F-04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1B-5F-05 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1B-5F-06 TO 07 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1B-5F-08 TO 12 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 5 | 40,400 | 202,000 |
| W1B-5F-13 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1B-5F-14 TO 15 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1B-5F-16 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1B-5F-17 TO 24 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 8 | 40,400 | 323,200 |
| W1B-5F-25 TO 26 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1B-5F-27 TO 33 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 7 | 40,400 | 282,800 |
| W1B-5F-34 TO 37 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |
| W1B-5F-38 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1B-5F-39 TO 40 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1C-6F-03 TO 04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1C-7F-01 | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W1C-7F-02(ST.BY) | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W1A-6F-01 TO 02 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1A-6F-10 TO 15 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 6 | 40,400 | 242,400 |
| W1A-6F-16 TO 19 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |
| W1A-6F-20 TO 27 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 8 | 40,400 | 323,200 |
| W1A-6F-28 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1A-6F-29 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1A-6F-30 TO 31 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1A-6F-35 TO 41 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 7 | 40,400 | 282,800 |
| W1A-6F-42 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1B-6F-01 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1B-6F-03 TO 09 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 7 | 40,400 | 282,800 |
| W1B-6F-10 TO 11 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1B-6F-16 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1B-6F-17 TO 20 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |

**QUOTATION NO. PNS20-PN-019-CHW--R-00**

**CUSTOMER** : **EEC**

**EEC Engineering Network CO., Ltd**

**ATTENTION** : **Chamnan Saiwong**

**PROJECT** : **โครงการ ศูนย์ราชการ โซน C (อาคารทางทิศตะวันตก)**

**PREPARE BY** : **Pimmada N.**

**DATE** : **04-Jan-21**

**VALIDY** : **30 DAYS**

| UNIT NO. | CARRIER MODEL | FCU TYPE | CAPACITY CFM | CAPACITY BTUH | ENTERING AIR DB(F) | ENTERING AIR WB(F) | ESP. Pa | POWER SUPPLY | REFRIGERANT | Q'TY | UNIT PRICE (BAHT) | AMOUNT (BAHT) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| W1B-6F-21 TO 22 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1C-7F-03 TO 04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1A-7F-01 TO 02 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1A-7F-10 TO 15 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 6 | 40,400 | 242,400 |
| W1A-7F-16 TO 19 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |
| W1A-7F-20 TO 27 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 8 | 40,400 | 323,200 |
| W1A-7F-28 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1C-8F-01 | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W1C-8F-02(ST.BY) | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W1A-7F-29 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1A-7F-30 TO 31 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1A-7F-35 TO 41 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 7 | 40,400 | 282,800 |
| W1A-7F-42 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1B-7F-01 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1B-7F-03 TO 09 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 7 | 40,400 | 282,800 |
| W1B-7F-10 TO 11 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1B-7F-16 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1B-7F-17 TO 20 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |
| W1C-8F-03 TO 04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1A-8F-01 TO 02 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1A-8F-10 TO 15 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 6 | 40,400 | 242,400 |
| W1A-8F-16 TO 19 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |
| W1A-8F-20 TO 27 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 8 | 40,400 | 323,200 |
| W1A-8F-28 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1A-8F-29 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1A-8F-30 TO 31 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1A-8F-35 TO 41 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 7 | 40,400 | 282,800 |
| W1A-8F-42 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1B-8F-01 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1C-9F-01 | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W1C-9F-02(ST.BY) | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W1B-8F-03 TO 09 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 7 | 40,400 | 282,800 |
| W1B-8F-10 TO 11 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1B-8F-16 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1B-8F-17 TO 20 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |
| W1C-9F-03 TO 04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1A-9F-01 TO 02 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1A-9F-13 TO 18 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 6 | 40,400 | 242,400 |
| W1A-9F-19 TO 22 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |
| W1A-9F-23 TO 30 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 8 | 40,400 | 323,200 |
| W1A-9F-31 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1A-9F-32 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1A-9F-33 TO 34 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1A-9F-35 TO 41 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 7 | 40,400 | 282,800 |
| W1A-9F-42 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1B-9F-01 TO 04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |
| W1B-9F-05 TO 12 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 8 | 40,400 | 323,200 |
| W1B-9F-14 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1B-9F-15 TO 16 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1B-9F-17 TO 20 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |
| W1B-9F-21 TO 22 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1C-10F-01 | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W1C-10F-02(ST.BY) | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W1B-9F-23 TO 24 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1B-9F-25 TO 26 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1C-10F-03 TO 04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1A-10F-02 TO 04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 3 | 40,400 | 121,200 |
| W1A-10F-12 TO 19 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 8 | 40,400 | 323,200 |
| W1A-10F-21 TO 26 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 6 | 40,400 | 242,400 |
| W1A-10F-27 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1A-10F-28 TO 34 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 7 | 40,400 | 282,800 |
| W1B-10F-01 TO 04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |
| W1B-10F-05 TO 09 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 5 | 40,400 | 202,000 |

**QUOTATION NO. PNS20-PN-019-CHW--R-00**

**CUSTOMER** : **EEC**

**EEC Engineering Network CO., Ltd**

**ATTENTION** : **Chamnan Saiwong**

**PROJECT** : **โครงการ ศูนย์ราชการ โซน C (อาคารทางทิศตะวันตก)**

**PREPARE BY** : **Pimmada N.**

**DATE** : **04-Jan-21**

**VALIDY** : **30 DAYS**

| UNIT NO. | CARRIER MODEL | FCU TYPE | CAPACITY CFM | CAPACITY BTUH | ENTERING AIR DB(F) | ENTERING AIR WB(F) | ESP. Pa | POWER SUPPLY | REFRIGERANT | Q'TY | UNIT PRICE (BAHT) | AMOUNT (BAHT) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| W1B-10F-12 TO 14 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 3 | 40,400 | 121,200 |
| W1B-10F-16 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1B-10F-19 TO 23 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 5 | 40,400 | 202,000 |
| W1B-10F-24 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1B-10F-25 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1B-10F-26 TO 27 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1B-10F-28 TO 30 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 3 | 40,400 | 121,200 |
| W1B-10F-32 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1C-11F-03 TO 04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1A-11F-01 TO 11 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 11 | 40,400 | 444,400 |
| W1A-11F-12 TO 13 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1C-11F-01 | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W1C-11F-02(ST.BY) | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W1A-11F-14 TO 22 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 9 | 40,400 | 363,600 |
| W1A-11F-23 TO 25 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 3 | 40,400 | 121,200 |
| W1A-11F-26 TO 27 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1A-11F-28 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W1A-11F-29 TO 31 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 3 | 40,400 | 121,200 |
| W1A-11F-32 TO 33 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W1A-11F-34 TO 37 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |
| W1A-11F-38 TO 43 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 6 | 40,400 | 242,400 |
| W1B-11F-01 TO 15 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 15 | 40,400 | 606,000 |
| W1B-11F-16 TO 19 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |
| W1B-11F-20 TO 25 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 5 | 40,400 | 202,000 |
| W1B-11F-26 TO 30 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |
| W2C-1F-03 TO 04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2A-1F-01 TO 03 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 3 | 40,400 | 121,200 |
| W2A-1F-04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2A-1F-05 TO 07 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 3 | 40,400 | 121,200 |
| W2A-1F-08 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2A-1F-09 TO 12 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |
| W2A-1F-13 TO 14 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2A-1F-15 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2A-1F-16 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2A-1F-17 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2A-1F-18 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2A-1F-19 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2C-1F-01 | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W2C-1F-02(ST.BY) | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W2A-1F-20 TO 26 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 7 | 40,400 | 282,800 |
| W2B-1F-01 TO 03 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 3 | 40,400 | 121,200 |
| W2B-1F-04 TO 07 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |
| W2B-1F-08 TO 09 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2B-1F-10 TO 11 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2B-1F-12 TO 14 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 3 | 40,400 | 121,200 |
| W2B-1F-15 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2B-1F-16 TO 17 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2C-2F-03 TO 04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2A-2F-01 TO 08 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 8 | 40,400 | 323,200 |
| W2A-2F-09 TO 23 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 15 | 40,400 | 606,000 |
| W2A-2F-24 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2A-2F-25 TO 30 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 6 | 40,400 | 242,400 |
| W2A-2F-31 TO 32 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2B-2F-01 TO 02 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2B-2F-03 TO 06 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |
| W2B-2F-07 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2C-B1F-02 TO 03 | 42VFS004W-10 | CE | 400 | 14,400 | 80 | 67 | - | 220V | CHW | 2 | 10,100 | 20,200 |
| W2-B1F-01 | 42VFS008W-10 | CE | 800 | 26,100 | 80 | 67 | - | 220V | CHW | 1 | 15,900 | 15,900 |
| W2-B1F-02 | 42VFS008W-10 | CE | 800 | 26,100 | 80 | 67 | - | 220V | CHW | 1 | 15,900 | 15,900 |
| W2-B1F-03 | 42VFS016W-10 | CE | 1,600 | 54,900 | 80 | 67 | - | 220V | CHW | 1 | 24,800 | 24,800 |
| W2-B1F-04 | 42VFS016W-10 | CE | 1,600 | 54,900 | 80 | 67 | - | 220V | CHW | 1 | 24,800 | 24,800 |
| W2-B1F-05 | 42VFS016W-10 | CE | 1,600 | 54,900 | 80 | 67 | - | 220V | CHW | 1 | 24,800 | 24,800 |
| W2-B1F-06 | 42VFS016W-10 | CE | 1,600 | 54,900 | 80 | 67 | - | 220V | CHW | 1 | 24,800 | 24,800 |

**QUOTATION NO. PNS20-PN-019-CHW--R-00**

**CUSTOMER** : **EEC**
**EEC Engineering Network CO., Ltd**

**ATTENTION** : **Chamnan Saiwong**

**PROJECT** : **โครงการ ศูนย์ราชการ โซน C (อาคารทางทิศตะวันตก)**

**PREPARE BY** : **Pimmada N.**

**DATE** : **04-Jan-21**

**VALIDY** : **30 DAYS**

| UNIT NO. | CARRIER MODEL | FCU TYPE | CAPACITY CFM | CAPACITY BTUH | ENTERING AIR DB(F) | ENTERING AIR WB(F) | ESP. Pa | POWER SUPPLY | REFRIGERANT | Q'TY | UNIT PRICE (BAHT) | AMOUNT (BAHT) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| W2C-2F-01 | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W2C-2F-02(ST.BY) | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W2B-2F-08 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2B-2F-09 TO 11 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 3 | 40,400 | 121,200 |
| W2B-2F-12 TO 13 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2B-2F-14 TO 17 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |
| W2B-2F-18 TO 22 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 5 | 40,400 | 202,000 |
| W2C-3F-03 TO 04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2A-3F-01 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2A-3F-02 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2A-3F-03 TO 08 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 6 | 40,400 | 242,400 |
| W2A-3F-09 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2A-3F-10 TO 14 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 5 | 40,400 | 202,000 |
| W2B-3F-01 TO 06 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 6 | 40,400 | 242,400 |
| W2B-3F-07 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2C-3F-01 | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W2B-3F-08 TO 09 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2B-3F-10 TO 14 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 5 | 40,400 | 202,000 |
| W2B-3F-15 TO 16 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2C-4F-03 TO 04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2A-4F-01 TO 03 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 3 | 40,400 | 121,200 |
| W2A-4F-04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2A-4F-05 TO 07 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 3 | 40,400 | 121,200 |
| W2C-3F-02(ST.BY) | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W2C-4F-01 | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W2C-4F-02(ST.BY) | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W2B-4F-01 TO 03 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 3 | 40,400 | 121,200 |
| W2B-4F-04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2B-4F-05 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2B-4F-06 TO 11 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 6 | 40,400 | 242,400 |
| W2C-5F-03 TO 04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2A-5F-01 TO 02 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2A-5F-03 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2A-5F-04 TO 05 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2A-5F-06 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2A-5F-07 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2A-5F-08 TO 29 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 22 | 40,400 | 888,800 |
| W2A-5F-30 TO 33 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |
| W2A-5F-34 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2A-5F-35 TO 38 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |
| W2C-5F-01 | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W2C-5F-02(ST.BY) | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W2A-5F-39 TO 42 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |
| W2B-5F-01 TO 02 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2B-5F-03 TO 05 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 3 | 40,400 | 121,200 |
| W2B-5F-06 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2B-5F-07 TO 08 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2B-5F-09 TO 19 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 11 | 40,400 | 444,400 |
| W2B-5F-20 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2C-6F-03 TO 04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2A-6F-06 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2A-6F-07 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2A-6F-08 TO 09 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2C-6F-01 | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W2C-6F-02(ST.BY) | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W2A-6F-10 TO 18 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 9 | 40,400 | 363,600 |
| W2A-6F-19 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2A-6F-20 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2A-6F-21 TO 25 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 5 | 40,400 | 202,000 |
| W2B-6F-01 TO 04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |
| W2B-6F-05 TO 08 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |
| W2B-6F-09 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2B-6F-10 TO 17 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 8 | 40,400 | 323,200 |

**QUOTATION NO. PNS20-PN-019-CHW--R-00**

**CUSTOMER** : **EEC**
**EEC Engineering Network CO., Ltd**

**ATTENTION** : **Chamnan Saiwong**

**PROJECT** : **โครงการ ศูนย์ราชการ โซน C (อาคารทางทิศตะวันตก)**

**PREPARE BY** : **Pimmada N.**

**DATE** : **04-Jan-21**

**VALIDY** : **30 DAYS**

| UNIT NO. | CARRIER MODEL | FCU TYPE | CAPACITY CFM | CAPACITY BTUH | ENTERING AIR DB(F) | ENTERING AIR WB(F) | ESP. Pa | POWER SUPPLY | REFRIGERANT | Q'TY | UNIT PRICE (BAHT) | AMOUNT (BAHT) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| W2-4A-05 | 39GNS0609-6/12W-1HDT-FDA225-2HP | VDT | 84,849 | 1,400 | 7 | 14 | 200.00 | 400V | CHW | 1 | 138,000 | 138,000 |
| W2-4A-01 | 39GNS0609-6/12W-1HDT-FDA225-2HP | VDT | 69,778 | 1,500 | 7 | 14 | 200.00 | 400V | CHW | 1 | 138,000 | 138,000 |
| W2-4A-07 | 39GNS0609-6/12W-1HDT-FDA225-2HP | VDT | 69,778 | 1,500 | 7 | 14 | 200.00 | 400V | CHW | 1 | 138,000 | 138,000 |
| W1-4A-01 | 39GNS0711-6/12W-1HDT-FDA280-3HP | VDT | 115,330 | 1,850 | 7 | 14 | 200.00 | 400V | CHW | 1 | 155,200 | 155,200 |
| W1-4A-02 | 39GNS0711-6/12W-1HDT-FDA280-3HP | VDT | 115,330 | 1,850 | 7 | 14 | 200.00 | 400V | CHW | 1 | 155,200 | 155,200 |
| W2-4A-02 | 39GNS0711-6/12W-1HDT-FDA280-3HP | VDT | 115,330 | 1,850 | 7 | 14 | 200.00 | 400V | CHW | 1 | 155,200 | 155,200 |
| W2-4A-06 | 39GNS0711-6/12W-1HDT-FDA280-3HP | VDT | 115,330 | 1,850 | 7 | 14 | 200.00 | 400V | CHW | 1 | 155,200 | 155,200 |
| W2-4A-08 | 39GNS0711-6/12W-1HDT-FDA280-3HP | VDT | 115,330 | 1,850 | 7 | 14 | 200.00 | 400V | CHW | 1 | 155,200 | 155,200 |
| W2-4A-09 | 39GNS0711-6/12W-1HDT-FDA280-3HP | VDT | 115,330 | 1,850 | 7 | 14 | 200.00 | 400V | CHW | 1 | 155,200 | 155,200 |
| W2-4A-10 | 39GNS0813-6/12W-1HDT-FDA315-3HP | VDT | 132,391 | 3,000 | 7 | 14 | 200.00 | 400V | CHW | 1 | 186,100 | 186,100 |
| W2-4A-11(ST.BY.) | 39GNS0813-6/12W-1HDT-FDA315-3HP | VDT | 132,391 | 3,000 | 7 | 14 | 200.00 | 400V | CHW | 1 | 186,100 | 186,100 |
| W2-4A-12 | 39GNS0813-6/12W-1HDT-FDA315-3HP | VDT | 132,391 | 3,000 | 7 | 14 | 200.00 | 400V | CHW | 1 | 186,100 | 186,100 |
| W2-4A-13(ST.BY.) | 39GNS0813-6/12W-1HDT-FDA315-3HP | VDT | 132,391 | 3,000 | 7 | 14 | 200.00 | 400V | CHW | 1 | 186,100 | 186,100 |
| W2C-7F-01 | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W2C-7F-02(ST.BY) | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W2B-6F-22 TO 23 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2B-6F-24 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2B-6F-25 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2C-7F-03 TO 04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2A-7F-06 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2A-7F-07 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2A-7F-08 TO 09 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2A-7F-10 TO 18 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 9 | 40,400 | 363,600 |
| W2A-7F-19 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2A-7F-20 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2A-7F-21 TO 25 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 5 | 40,400 | 202,000 |
| W2B-7F-01 TO 04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |
| W2B-7F-05 TO 08 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |
| W2B-7F-09 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2B-7F-10 TO 17 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 8 | 40,400 | 323,200 |
| W2B-7F-22 TO 23 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2B-7F-24 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2C-8F-01 | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W2C-8F-02(ST.BY) | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W2B-7F-25 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2C-8F-03 TO 04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2A-8F-06 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2A-8F-07 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2A-8F-08 TO 09 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2A-8F-10 TO 18 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 9 | 40,400 | 363,600 |
| W2A-8F-19 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2A-8F-20 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2A-8F-21 TO 25 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 5 | 40,400 | 202,000 |
| W2B-8F-01 TO 04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |
| W2B-8F-05 TO 08 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 4 | 40,400 | 161,600 |
| W2B-8F-09 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2B-8F-10 TO 17 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 8 | 40,400 | 323,200 |
| W2B-8F-22 TO 23 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2B-8F-24 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2B-8F-25 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2C-9F-03 TO 04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2A-9F-06 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2C-9F-01 | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W2C-9F-02(ST.BY) | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W2A-9F-07 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2A-9F-08 TO 09 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2A-9F-10 TO 18 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 9 | 40,400 | 363,600 |
| W2A-9F-19 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2A-9F-20 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2A-9F-21 TO 25 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 5 | 40,400 | 202,000 |
| W2B-9F-01 TO 06 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 6 | 40,400 | 242,400 |
| W2B-9F-07 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2B-9F-08 TO 20 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 13 | 40,400 | 525,200 |

**QUOTATION NO. PNS20-PN-019-CHW--R-00**

**CUSTOMER** : **EEC**

**EEC Engineering Network CO., Ltd**

**ATTENTION** : **Chamnan Saiwong**

**PROJECT** : **โครงการ ศูนย์ราชการ โซน C (อาคารทางทิศตะวันตก)**

**PREPARE BY** : **Pimmada N.**

**DATE** : **04-Jan-21**

**VALIDY** : **30 DAYS**

| UNIT NO. | CARRIER MODEL | FCU TYPE | CAPACITY CFM | CAPACITY BTUH | ENTERING AIR DB(F) | ENTERING AIR WB(F) | ESP. Pa | POWER SUPPLY | REFRIGERANT | Q'TY | UNIT PRICE (BAHT) | AMOUNT (BAHT) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| W2B-9F-21 TO 23 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 3 | 40,400 | 121,200 |
| W2B-9F-24 TO 26 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 3 | 40,400 | 121,200 |
| W2B-9F-27 TO 32 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 6 | 40,400 | 242,400 |
| W2B-9F-33 TO 35 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 3 | 40,400 | 121,200 |
| W2B-9F-36 TO 37 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 3 | 40,400 | 121,200 |
| W2C-10F-03 TO 04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2A-10F-03 TO 08 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 6 | 40,400 | 242,400 |
| W2A-10F-11 TO 12 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2A-10F-13 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2C-10F-01 | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W2C-10F-02(ST.BY) | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W2A-10F-15 TO 26 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 12 | 40,400 | 484,800 |
| W2A-10F-27 TO 28 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2A-10F-29 TO 33 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 5 | 40,400 | 202,000 |
| W2B-10F-01 TO 06 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 6 | 40,400 | 242,400 |
| W2B-10F-07 TO 08 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2B-10F-09 TO 14 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 6 | 40,400 | 242,400 |
| W2B-10F-15 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2B-10F-17 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2B-10F-18 TO 20 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 3 | 40,400 | 121,200 |
| W2C-11F-03 TO 04 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 2 | 40,400 | 80,800 |
| W2A-11-01 TO 16 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 16 | 40,400 | 646,400 |
| W2A-11-17 TO 27 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 11 | 40,400 | 444,400 |
| W2A-11-28 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 1 | 40,400 | 40,400 |
| W2A-11-29 TO 34 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 6 | 40,400 | 242,400 |
| W2B-11-01 TO 05 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 5 | 40,400 | 202,000 |
| W2B-11-07 TO 16 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 10 | 40,400 | 404,000 |
| W2B-11-17 TO 26 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 10 | 40,400 | 404,000 |
| W2B-11-27 TO 28 | 40VCT024W | 4 CST | 800 | 30,800 | 80 | 67 | - | 220V | CHW | 3 | 40,400 | 121,200 |
| W2C-11F-01 | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W2C-11F-02(ST.BY) | 42CLS004W310RP | CC-RP | 400 | 16,230 | 80 | 67 | 75.00 | 220V | CHW | 1 | 11,000 | 11,000 |
| W1B-3F-07 TO 08 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 2 | 51,000 | 102,000 |
| W1A-4F-30 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 1 | 51,000 | 51,000 |
| W1B-5F-01 TO 03 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 3 | 51,000 | 153,000 |
| W1A-6F-03 TO 06 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 4 | 51,000 | 204,000 |
| W1A-6F-07 TO 09 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 3 | 51,000 | 153,000 |
| W1A-6F-32 TO 34 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 3 | 51,000 | 153,000 |
| W1B-6F-02 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 1 | 51,000 | 51,000 |
| W1B-6F-12 TO 15 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 4 | 51,000 | 204,000 |
| W1A-7F-03 TO 06 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 4 | 51,000 | 204,000 |
| W1A-7F-07 TO 09 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 3 | 51,000 | 153,000 |
| W1A-7F-32 TO 34 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 3 | 51,000 | 153,000 |
| W1B-7F-02 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 1 | 51,000 | 51,000 |
| W1B-7F-12 TO 15 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 4 | 51,000 | 204,000 |
| W1A-8F-03 TO 06 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 4 | 51,000 | 204,000 |
| W1A-8F-07 TO 09 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 3 | 51,000 | 153,000 |
| W1A-8F-32 TO 34 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 3 | 51,000 | 153,000 |
| W1B-8F-02 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 1 | 51,000 | 51,000 |
| W1B-8F-12 TO 15 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 4 | 51,000 | 204,000 |
| W1A-1F-28 | 42CLS016W410RP | CC-RP | 1,600 | 58,440 | 80 | 67 | 75.00 | 220V | CHW | 1 | 23,300 | 23,300 |
| W1B-1F-19 TO 21 | 42CLS016W410RP | CC-RP | 1,600 | 58,440 | 80 | 67 | 75.00 | 220V | CHW | 3 | 23,300 | 69,900 |
| W1A-9F-03 TO 06 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 4 | 51,000 | 204,000 |
| W1A-9F-07 TO 12 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 6 | 51,000 | 306,000 |
| W1B-9F-13 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 1 | 51,000 | 51,000 |
| W1A-10F-01 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 1 | 51,000 | 51,000 |
| W1A-10F-05 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 1 | 51,000 | 51,000 |
| W1A-10F-06 TO 11 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 6 | 51,000 | 306,000 |
| W1A-10F-20 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 1 | 51,000 | 51,000 |
| W1B-10F-10 TO 11 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 2 | 51,000 | 102,000 |
| W1B-10F-15 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 1 | 51,000 | 51,000 |
| W1B-10F-17 TO 18 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 2 | 51,000 | 102,000 |
| W1B-10F-31 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 1 | 51,000 | 51,000 |
| W2A-6F-01 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 1 | 51,000 | 51,000 |

**QUOTATION NO. PNS20-PN-019-CHW--R-00**

**CUSTOMER** : **EEC**

**EEC Engineering Network CO., Ltd**

**ATTENTION** : **Chamnan Saiwong**

**PROJECT** : **โครงการ ศูนย์ราชการ โซน C (อาคารทางทิศตะวันตก)**

**DATE** : **04-Jan-21**

**PREPARE BY** : **Pimmada N.**

**VALIDY** : **30 DAYS**

| UNIT NO. | CARRIER MODEL | FCU TYPE | CAPACITY CFM | CAPACITY BTUH | ENTERING AIR DB(F) | ENTERING AIR WB(F) | ESP. Pa | POWER SUPPLY | REFRIGERANT | Q'TY | UNIT PRICE (BAHT) | AMOUNT (BAHT) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| W2A-6F-02 TO 05 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 4 | 51,000 | 204,000 |
| W2B-6F-18 TO 21 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 4 | 51,000 | 204,000 |
| W2A-7F-01 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 1 | 51,000 | 51,000 |
| W2A-7F-02 TO 05 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 4 | 51,000 | 204,000 |
| W2B-7F-18 TO 21 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 4 | 51,000 | 204,000 |
| W2A-8F-01 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 1 | 51,000 | 51,000 |
| W2A-1F-27 TO 28 | 42CLS016W410RP | CC-RP | 1,600 | 58,440 | 80 | 67 | 75.00 | 220V | CHW | 2 | 23,300 | 46,600 |
| W2B-1F-18 TO 19 | 42CLS016W410RP | CC-RP | 1,600 | 58,440 | 80 | 67 | 75.00 | 220V | CHW | 2 | 23,300 | 46,600 |
| W2A-8F-02 TO 05 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 4 | 51,000 | 204,000 |
| W2B-8F-18 TO 21 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 4 | 51,000 | 204,000 |
| W2A-9F-01 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 1 | 51,000 | 51,000 |
| W2A-9F-02 TO 05 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 4 | 51,000 | 204,000 |
| W2A-10F-01 TO 02 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 2 | 51,000 | 102,000 |
| W2A-10F-09 TO 10 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 2 | 51,000 | 102,000 |
| W2A-10F-14 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 1 | 51,000 | 51,000 |
| W2B-10F-16 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 1 | 51,000 | 51,000 |
| W2B-10F-21 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 1 | 51,000 | 51,000 |
| W2B-11-06 | 40VCT060W | 4 CST | 1,400 | 61,000 | 80 | 67 | - | 220V | CHW | 1 | 51,000 | 51,000 |
| | **TOTAL NET PRICE** | | | | | | | | | **1333** | **BAHT** | **55,250,000** |

**** EXCLUDE VAT 7% ****

**DELIVERY**

Split type within 4 weeks approx.

Fan coil unit within 4 weeks approx.

Air handling unit within 6 weeks approx.

Air condensing unit within 6 weeks approx.

**PAYMENT**

10%Advance, 90% 60 days with B/G

Standard

**WARRANTY**

1 year for compressor and parts except consumable parts

WALL TYPE [38TEVGB/42TEVGB] : 10 Years for compressor and 3 years for parts except consumable part (Free for labour cost in 1 st year)

XPower Series [TSV] : 7 Years for compressor and 2 year for parts except consumable part (Free for labour cost in 1 st year)

SPI Series [RAV-TE*/RAV-SE*] : 7 Years for compressor and 2 year for parts except consumable part (Free for labour cost in 1 st year)

TSF Series [TSF] : 5 Years for compressor and 1 year for parts except consumable part (Free for labour cost in 1 st year)

**REMARK**

1 This quotation must be followed by Carrier(Thailand) general terms and conditions of sale as detail QR code attached

2 Model 39G included motor & drive, 2" aluminium filter but excluded thermostat, starter, medium filter, expansion valve

39G : DOUBLE SKIN AIR HANDLING UNIT WITH 25 mm THK PU INSULATION

- 39G STD1 = Fan section, coil section, filter track

4 Model 40VCT-W, 40VMS-W included synthetic air filter, wireless-remote with time delay, auto sweep but exclude control valve, piping accessories

5 Model 42CLS-W excluded air filter, thermostat, selector switch, control valve, piping accessories

6 Model 42VFS-W included synthetic air filter but excluded thermostat, selector switch, control valve, piping accessories

Best Regard,

Pimmada N.

064-557-9390

pimmada.nipatworakarn@carrier.com

FCU TYPE :

WT = WALL TYPE, CE = CEILING EXPOSE, UC = UNDER CEILING, CC = CEILING CONCEALED, 4 CST = 4-WAY CASSETTE, 1 CST = 1-WAY CASSETTE, FL = FLOOR STADING FREE BLOW, CD = CELING DUCTED, FD = FLOOR DUCTED, HDT = HORIZONTAL DRAW THRU, VDT= VERTICAL DRAW THRU, CC-RP = CEILING CONCEALED WITH RETURN PLENUM, CC-CB = CEILING CONCEALED WITH CABINET

บริษัท สยามไดกิ้นเซลส์ จำกัด 22 ซอยอ่อนนุช 55/1 แขวงประเวศ เขตประเวศ
กรุงเทพฯ 10250 โทร. 0-2838-3200 โทรสาร.
SIAM DAIKIN SALES CO.,LTD. 22 Soi Onnuch 55/1,Pravet Subdistrict
Pravet District, Bangkok, 10250 Tel. 0-2838-3200 Fax.

**ใบเสนอราคา**
**QUOTATION**
SECRET

**SDS REF:** Q000215554 วันที่ 9 ธันวาคม 2563

เรื่อง ขอเสนอราคาเครื่องปรับอากาศ ไดกิ้น
สำหรับ ศูนย์ราชการโซนC ตะวันตก

เรียน คุณชำนาญ สายวงศ์( EEC Engineering Network)

บริษัทฯเป็นตัวแทนจำหน่ายเครื่องปรับอากาศ "ไดกิ้น" แต่เพียงผู้เดียวในประเทศไทย มีความยินดีขอเสนอราคาเครื่องทำน้ำเย็น "ไดกิ้น" ตามรายการดังนี้

**1.Requirement:AHU&FCU x 1 Lot**

AHU&FCU for Government Complex(W)

| | | |
|---|---|---|
| Model Description | : FWKE,FWW-C(FCU),DDW(AHU) | |
| ราคา | 55,873,200.00 | บาทต่อเครื่อง |
| ส่วนลด | 13,968,300.00 | บาทต่อเครื่อง |
| ราคาสุทธิ | 41,904,900.00 | บาทต่อเครื่อง |
| รวมราคา | 41,904,900.00 | บาท (ยังไม่รวมภาษีมูลค่าเพิ่ม 7%) |

รวมราคาเครื่องทำน้ำเย็นเป็นเงินทั้งสิ้น 41,904,900.00 บาท (ยังไม่รวมภาษีมูลค่าเพิ่ม 7%)

กำหนดยืนราคา : 30 วันนับจากวันที่เสนอราคา
กำหนดส่งของ : 90 Days for AHU&FCU
การชำระเงิน : 100% ก่อนส่งสินค้า
ประเทศผู้ผลิต : China and Malaysia
หมายเหตุ : - All Item exclude remote control and starter box.
- This quotation exclude 2-way and 3-way valve.
- Detail specific in attachment.
- This quotation include pressure independent control valve only cassette type

จึงเรียนเสนอราคาเพื่อพิจารณา บริษัทฯหวังเป็นอย่างยิ่งที่จะได้รับใช้ท่านในเร็ววันนี้ และขอขอบพระคุณท่านมา ณ โอกาสนี้ด้วย

ขอแสดงความนับถือ

(นายสมชัย กิตติสุขตระกูล)
ผู้จัดการแผนก ฝ่ายขาย AP

©DAIKIN Industries, Ltd. Hakuhodo Inc. Tohokushinsha Film Corporation.2000

บริษัท สยามไดกิ้นเซลส์ จำกัด 22 ซอยอ่อนนุช 55/1 แขวงประเวศ เขตประเวศ กรุงเทพฯ 10250 โทร. 0-2838-3200 โทรสาร.
SIAM DAIKIN SALES CO.,LTD. 22 Soi Onnuch 55/1,Pravet Subdistrict Pravet District, Bangkok, 10250 Tel. 0-2838-3200 Fax.

**ใบเสนอราคา**
**QUOTATION**

SECRET

รายละเอียดเพิ่มเติมกรุณาติดต่อ

นาย เกริกพล เจริญวิไลสุข
Tel. 086-887-0222

©DAIKIN Industries, Ltd. Hakuhodo Inc. Tohokushinsha Film Corporation.2000

ตารางแสดงรายการเครื่องปรับอากาศ (AHU and FCU schedule)

PROJECT : ศูนย์ราชการโซนC ตะวันตก

ผู้นำเสนอ : บริษัท สยามไดกิ้นเซลส์ จำกัด
Date : 9-Dec-2020

Quotation NO : QV2011010
Warranty : 2 year
REV : 00

## AIR HANDLING UNITS AND FANCOIL SCHEDULE

| UNIT NO. | LOCATION SERVED AREA | UNIT NO. Spec sheet | TYPE | Q'ty (Sets.) | Cooling Cap. KW Total | Sensible Cap KW Total | Entering Air Temp. °CDB | Entering Air Temp. °CWB | Leaving Air Temp. °CDB | Leaving Air Temp. °CWB | SA FLOW L/S | Water Temp. ENT °C | Water Temp. LEAV °C | Flow Rate L/S | Ext.Static Pressure PA | ESP From Filter PA | ESP W/O Filter PA | Filter PRE | Filter MEDIUM | Power Supply V/Ph/Hz | Remark |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **W1** | | | | | | | | | | | | | | | | | | | | | |
| W1C-B2F-01 | โถงลิฟต์ | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 350 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1C-B1F-01 | โถงลิฟต์ | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 350 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1C-B1F-02 TO 03 | ห้องควบคุมตัว 1,2 | CCS-01 | CCS | 2 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.00 | 13.67 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W1-B1F-01 TO 02 | ห้อง รปภ. | CCS-03 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 300 | 7.00 | 13.67 | 0.19 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| | | | | | | | | | | | | | | | | | | | | | |
| W1C-1F-01 | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W1C-1F-02(ST. BY) | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W1C-1F-03 TO 04 | โถงลิฟต์ | CCS-02 | CCS | 2 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1C-1F-01 TO 04 | ห้องประชุม | CCS-04 | CCS | 3 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1C-1F-05 TO 06 | โถง | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-1F-07 TO 12 | ห้องประชุมสัมมนา1 | CCS-04 | CCS | 6 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-1F-13 TO 18 | ห้องประชุมสัมมนา2 | CCS-04 | CCS | 6 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-1F-19 TO 20 | ห้องประชุม2 | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-1F-21 | ห้องรับรองวิทยากร1 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-1F-22 | ห้องละหมาดชาย | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-1F-23 | ห้องละหมาดหญิง | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-1F-24 TO 27 | HALL | CCS-04 | CCS | 4 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-1F-28 | HALL | CC-02 | CC W/ PLENUM | 1 | 11.8 | 10.6 | 23.9 | 16.8 | 13.5 | 12.5 | 650 | 7.20 | 13.80 | 0.43 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-1F-01 TO 02 | ห้องประชุม3 | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-1F-03 TO 04 | ห้องให้คำปรึกษา1-2 | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-1F-05 | ห้องประชุม4 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-1F-06 | CLOSED OFFICE1 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-1F-07 TO 13 | สำนักงานล่าง | CCS-04 | CCS | 7 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-1F-14 | ผอ. สำนัก | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-1F-15 TO 18 | HALL | CCS-04 | CCS | 4 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-1F-19 TO 21 | HALL | CC-02 | CC W/ PLENUM | 3 | 11.8 | 10.6 | 23.9 | 16.8 | 13.5 | 12.5 | 650 | 7.20 | 13.80 | 0.43 | - | - | - | MS-1 | | 230/1/50 | |
| | | | | | | | | | | | | | | | | | | | | | |
| W1C-2F-01 | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W1C-2F-02(ST.BY) | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W1C-2F-03 TO 04 | โถงลิฟต์ | CCS-02 | CCS | 2 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-2F-01 | ผอ. วิทยาลัย | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-2F-02 | ผู้เชี่ยวชาญ1 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-2F-03 TO 05 | ห้องประชุม1 | CCS-04 | CCS | 3 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-2F-06 TO 14 | พิพิธภัณฑ์ และห้องสมุด | CCS-04 | CCS | 9 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| | | | | | | | | | | | | | | | | | | | | | |
| W1A-2F-15 TO 27 | สำนักงานบน | CCS-04 | CCS | 13 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-2F-28 TO 29 | หน่วยงานตรวจสอบภายใน | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-2F-30 | ห้องเตรียมอาหาร1 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-2F-31 | ห้องเตรียมอาหาร2 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-2F-32 TO 33 | ห้องตัดต่อ | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-2F-34 TO 39 | HALL | CCS-04 | CCS | 6 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-2F-01 | ห้องเตรียมอาหาร3 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| | | | | | | | | | | | | | | | | | | | | | |
| W1B-2F-02 TO 10 | วิทยาลัยยุติธรรม | CCS-04 | CCS | 9 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-2F-11 | ผอ.สำนักงาน(ล่าง) | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-2F-12 | ผู้เชี่ยวชาญ2 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-2F-13 TO 14 | ห้องประชุม2 | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-2F-15 TO 21 | ห้องประชุม3 | CCS-04 | CCS | 7 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-2F-22 TO 23 | HALL | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| | | | | | | | | | | | | | | | | | | | | | |
| W1C-3F-01 | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W1C-3F-02 (ST.BY) | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W1C-3F-03 TO 04 | โถงลิฟต์ | CCS-02 | CCS | 2 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-3F-01 TO 10 | โถงพักคอย | CCS-04 | CCS | 10 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-3F-11 | ห้องพักตุลาการ1 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-3F-12 | ห้องพักพยาน1 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-3F-13 | ห้องพักพยาน2 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-3F-14 TO 18 | ห้องอเนกประสงค์1 | CCS-04 | CCS | 5 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-3F-19 TO 25 | ห้องอเนกประสงค์2 | CCS-04 | CCS | 7 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-3F-26 | ห้องพักตุลาการ2 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-3F-27 TO 28 | ห้องอเนกประสงค์3 | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-3F-29 TO 31 | ห้องไต่สวนกลาง1 | CCS-04 | CCS | 3 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-3F-32 TO 35 | HALL | CCS-04 | CCS | 4 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-3F-01 TO 06 | HALL | CCS-04 | CCS | 6 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-3F-07 TO 08 | ห้องพักตุลาการ3-4 | CCS-06 | CCS | 2 | 8.9 | 8.1 | 23.9 | 16.8 | 13.5 | 12.5 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-3F-09 | ห้องพักตุลาการ5 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-3F-10 TO 14 | ห้องไต่สวนใหญ่1 | CCS-04 | CCS | 5 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-3F-15 TO 16 | ห้องพักพยาน3-4 | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-3F-17 | ห้องพักตุลาการ6 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-3F-18 | ห้องพักตุลาการ7 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-3F-19 | ห้องพักตุลาการ9 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| | | | | | | | | | | | | | | | | | | | | | |
| W1C-4F-01 | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W1C-4F-02 | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W1C-4F-03 TO 04 | โถงลิฟต์ | CCS-02 | CCS | 2 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-4F-01 TO 10 | กลุ่มออกหมาย | CCS-04 | CCS | 10 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-4F-11 TO 20 | กลุ่มสารบบคดี | CCS-04 | CCS | 10 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-4F-21 TO 22 | ห้องพักเจ้าหน้าที่สารบบคดี | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |

## DAIKIN PROPOSE

| UNIT NO. | MODEL | MODEL Remote | Q'ty (Sets.) | Cooling Cap. KW Total | Sensible Cap. KW Total | Cooling Cap DIFF (%) Total | Sensible Cap DIFF (%) Total | Entering Air Temp. °CDB | Entering Air Temp. °CWB | Leaving Air Temp. °CDB | Leaving Air Temp. °CWB | Air Flow Rate L/S | Air Flow Rate DIFF (%) | Water Temp. EWT °C | Water Temp. LWT °C | Flow Rate L/S | Flow Rate GPM | Ext.Static Pressure PA | ESP DIFF (%) | Filter PRE | Filter Medium | Power Supply V/Ph/Hz | Unit Price W/C PICV Valve Warranty 2 year | Total Price W/C PICV Valve Warranty 2 year | REMARK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **W1** | | | | | | | | | | | | | | | | | | | | | | | | | |
| W1C-B2F-01 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 34.8% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4' |
| W1C-B1F-01 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 34.8% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4' |
| W1C-B1F-02 TO 03 | FWF04C-ACAAA | BFWFC-MGS02CO+Wireless remote | 2 | 3.2 | 2.2 | 44.5% | 46.7% | 23.8 | 18.2 | 14.2 | 13.2 | 189 | 25.9% | 7.0 | 6.7 | 0.1 | 1.7 | - | | Saranet Filter | - | 220/1/50 | 29,500 | 59,000 | FLOWCON EVS SIZE 3/4' |
| W1-B1F-01 TO 02 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.1 | 5.8 | 36.2% | 22.3% | 23.9 | 16.8 | 13.9 | 12.1 | 472 | 57.3% | 7.0 | 6.7 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4' |
| | #N/A | | 0 | | | | | | | | | | | | | | | | | | | | | | |
| W1C-1F-01 | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W1C-1F-02(ST. BY) | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W1C-1F-03 TO 04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4' |
| W1C-1F-01 TO 04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 3 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 120,000 | FLOWCON EVS SIZE 3/4' |
| W1C-1F-05 TO 06 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4' |
| W1A-1F-07 TO 12 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 6 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 240,000 | FLOWCON EVS SIZE 3/4' |
| W1A-1F-13 TO 18 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 6 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 240,000 | FLOWCON EVS SIZE 3/4' |
| W1A-1F-19 TO 20 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4' |
| W1A-1F-21 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4' |
| W1A-1F-22 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4' |
| W1A-1F-23 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4' |
| W1A-1F-24 TO 27 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4' |
| W1A-1F-28 | UAH15KS | W/O Remote Control | 1 | 11.8 | 9.9 | 0.0% | -6.5% | 23.9 | 16.8 | 11.5 | 11.2 | 650 | 0.0% | 7.2 | 13.8 | 6.9 | | - | | Nylon Filter | - | 220/1/50 | 44,400 | 44,400 | |
| W1B-1F-01 TO 02 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4' |
| W1B-1F-03 TO 04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4' |
| W1B-1F-05 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4' |
| W1B-1F-06 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4' |
| W1B-1F-07 TO 13 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 7 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 280,000 | FLOWCON EVS SIZE 3/4' |
| W1B-1F-14 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4' |
| W1B-1F-15 TO 18 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4' |
| W1B-1F-19 TO 21 | UAH15KS | W/O Remote Control | 3 | 11.8 | 9.9 | 0.0% | -6.5% | 23.9 | 16.8 | 11.5 | 11.2 | 650 | 0.0% | 7.2 | 13.8 | 6.9 | | - | | Nylon Filter | - | 220/1/50 | 44,400 | 133,200 | |
| | #N/A | | 0 | | | | | | | | | | | | | | | | | | | | | | |
| W1C-2F-01 | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W1C-2F-02(ST.BY) | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W1C-2F-03 TO 04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4' |
| W1A-2F-01 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4' |
| W1A-2F-02 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4' |
| W1A-2F-03 TO 05 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 3 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 120,000 | FLOWCON EVS SIZE 3/4' |
| W1A-2F-06 TO 14 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 9 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 360,000 | FLOWCON EVS SIZE 3/4' |
| | #N/A | | 0 | | | | | | | | | | | | | | | | | | | | | | |
| W1A-2F-15 TO 27 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 13 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 520,000 | FLOWCON EVS SIZE 3/4' |
| W1A-2F-28 TO 29 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4' |
| W1A-2F-30 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4' |
| W1A-2F-31 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4' |
| W1A-2F-32 TO 33 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4' |
| W1A-2F-34 TO 39 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 6 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 240,000 | FLOWCON EVS SIZE 3/4' |
| W1B-2F-01 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4' |
| | #N/A | | 0 | | | | | | | | | | | | | | | | | | | | | | |
| W1B-2F-02 TO 10 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 9 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 360,000 | FLOWCON EVS SIZE 3/4' |
| W1B-2F-11 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4' |
| W1B-2F-12 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4' |
| W1B-2F-13 TO 14 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4' |
| W1B-2F-15 TO 21 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 7 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 280,000 | FLOWCON EVS SIZE 3/4' |
| W1B-2F-22 TO 23 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4' |
| | #N/A | | 0 | | | | | | | | | | | | | | | | | | | | | | |
| W1C-3F-01 | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W1C-3F-02 (ST.BY) | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W1C-3F-03 TO 04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4' |
| W1A-3F-01 TO 10 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 10 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 400,000 | FLOWCON EVS SIZE 3/4' |
| W1A-3F-11 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4' |
| W1A-3F-12 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4' |
| W1A-3F-13 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4' |
| W1A-3F-14 TO 18 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 5 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 200,000 | FLOWCON EVS SIZE 3/4' |
| W1A-3F-19 TO 25 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 7 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 280,000 | FLOWCON EVS SIZE 3/4' |
| W1A-3F-26 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4' |
| W1A-3F-27 TO 28 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4' |
| W1A-3F-29 TO 31 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 3 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 120,000 | FLOWCON EVS SIZE 3/4' |
| W1A-3F-32 TO 35 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4' |
| W1B-3F-01 TO 06 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 6 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 240,000 | FLOWCON EVS SIZE 3/4' |
| W1B-3F-07 TO 08 | FWF17AV2SBR3 | Wireless Remote Control | 2 | 10.9 | 9.4 | 22.7% | 16.3% | 23.9 | 16.8 | 14.6 | 13.3 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 131,200 | FLOWCON EVS SIZE 1" |
| W1B-3F-09 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4' |
| W1B-3F-10 TO 14 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 5 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 200,000 | FLOWCON EVS SIZE 3/4' |
| W1B-3F-15 TO 16 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4' |
| W1B-3F-17 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4' |
| W1B-3F-18 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4' |
| W1B-3F-19 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4' |
| | #N/A | | 0 | | | | | | | | | | | | | | | | | | | | | | |
| W1C-4F-01 | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W1C-4F-02 | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W1C-4F-03 TO 04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4' |
| W1A-4F-01 TO 10 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 10 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 400,000 | FLOWCON EVS SIZE 3/4' |
| W1A-4F-11 TO 20 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 10 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 400,000 | FLOWCON EVS SIZE 3/4' |
| W1A-4F-21 TO 22 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4' |

**ตารางแสดงรายการเครื่องปรับอากาศ (AHU and FCU schedule)**

**PROJECT : ศูนย์ราชการโซนC ตะวันตก**

ผู้นำเสนอ : บริษัท สยามไดกิ้นเซลส์ จำกัด
Date : 9-Dec-2020

Quotation NO : QV2011010
Warranty : 2 year
REV : 00

## AIR HANDLING UNITS AND FANCOIL SCHEDULE

| UNIT NO. | LOCATION SERVED AREA | UNIT NO. Spec sheet | TYPE | Q'ty (Sets.) | Cooling Cap. KW Total | Sensible Cap KW Total | Entering Air Temp. °CDB | Entering Air Temp. °CWB | Leaving Air Temp. °CDB | Leaving Air Temp. °CWB | SA FLOW L/S | Water Temp. ENT °C | Water Temp. LEAV °C | Flow Rate L/S | Ext.Static Pressure PA | ESP From Filter PA | ESP W/O Filter PA | Filter PRE | Filter MEDIUM | Power Supply V/Ph/Hz | Remark |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| W1A-4F-23 TO 26 | ห้องประชุม1 | CCS-04 | CCS | 4 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-4F-27 TO 29 | HALL | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-4F-30 | ห้องเก็บสำนวน1 | CCS-06 | CCS | 1 | 8.9 | 8.1 | 23.9 | 16.8 | 13.5 | 12.5 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-4F-01 TO 11 | กลุ่มบริหารทั่วไป | CCS-04 | CCS | 11 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-4F-12 TO 14 | ผู้เชี่ยวชาญ1-3 | CCS-04 | CCS | 3 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-4F-15 | ผอ. | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-4F-16 TO 17 | ห้องประชุม2 | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-4F-18 TO 22 | TRAINING COMPUTER1 | CCS-04 | CCS | 5 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-4F-23 TO 25 | HALL | CCS-04 | CCS | 3 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1-4A-01 | ห้องพิจารณาคดีเด็ก1 | VV-04 | VV | 1 | 33.8 | 24.3 | 23.6 | 17.6 | 12.6 | 11.8 | 1850 | 7.20 | 13.80 | 1.23 | 200 | 50 | 150 | PF-3 | | 400/3/50 | |
| W1-4A-02 | ห้องพิจารณาคดีเด็ก2 | VV-04 | VV | 1 | 33.8 | 24.3 | 23.6 | 17.6 | 12.6 | 11.8 | 1850 | 7.20 | 13.80 | 1.23 | 200 | 50 | 150 | PF-3 | | 400/3/50 | |
| | | | | | | | | | | | | | | | | | | | | | |
| W1C-5F-01 | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W1C-5F-02 (ST BY) | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W1C-5F-03 TO 04 | โถงลิฟต์ | CCS-02 | CCS | 2 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-5F-01 | ผอ.วิจัย | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-5F-02 TO 03 | ห้องประชุม1 | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-5F-04 | ผู้เชี่ยวชาญ | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-5F-05 TO 16 | สนง. ต่างประเทศ | CCS-04 | CCS | 12 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-5F-17 | เตรียมอาหาร1 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-5F-18 TO 20 | กลุ่มค้นคว้าเปรียบเทียบ | CCS-04 | CCS | 3 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-5F-21 TO 24 | HALL | CCS-04 | CCS | 4 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-5F-01 TO 03 | พนง. คดี 1-3 | CCS-06 | CCS | 3 | 8.9 | 8.1 | 23.9 | 16.8 | 13.5 | 12.5 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-5F-04 | กลุ่มธุรการคดีคัดท้าย | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-5F-05 | ห้องเก็บสำนวน | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-5F-06 TO 07 | สนง คดีแดง | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| | | | | | | | | | | | | | | | | | | | | | |
| W1B-5F-08 TO 12 | สนง พิมพ์คำพิพากษา | CCS-04 | CCS | 5 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-5F-13 | เตรียมอาหาร2 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-5F-14 TO 15 | ผู้เชี่ยวชาญ3-4 | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-5F-16 | ห้องเตรียมประชุม | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-5F-17 TO 24 | สนง. กลุ่มวิชาการ | CCS-04 | CCS | 8 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-5F-25 TO 26 | ห้องรับรอง | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-5F-27 TO 33 | ห้องประชุม2 | CCS-04 | CCS | 7 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-5F-34 TO 37 | ห้องประชุม3 | CCS-04 | CCS | 4 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-5F-38 | ทางเดิน | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-5F-39 TO 40 | HALL | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| | | | | | | | | | | | | | | | | | | | | | |
| W1C-6F-01 | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W1C-6F-02(ST.BY) | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W1C-6F-03 TO 04 | โถงลิฟต์ | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-6F-01 TO 02 | ตุลาการหัวหน้าคณะ1 | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-6F-03 TO 06 | ตุลาการ 1-4 | CCS-06 | CCS | 4 | 8.9 | 8.1 | 23.9 | 16.8 | 13.5 | 12.5 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-6F-07 TO 09 | ตุลาการ ผู้แถลงคดี1-2 | CCS-06 | CCS | 3 | 8.9 | 8.1 | 23.9 | 16.8 | 13.5 | 12.5 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-6F-10 TO 15 | สำนักข่าวนม ฝ่าย | CCS-04 | CCS | 6 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-6F-16 TO 19 | ห้องประชุม1 | CCS-04 | CCS | 4 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-6F-20 TO 27 | เลขาหัวหน้าตุลาการ | CCS-04 | CCS | 8 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-6F-28 | ห้องรับรอง1 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-6F-29 | ห้องเตรียมอาหาร1 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-6F-30 TO 31 | ห้องประชุม2 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-6F-32 TO 34 | ตุลาการ ค้นคว้าเปรียบเทียบ 1-4 | CCS-06 | CCS | 3 | 8.9 | 8.1 | 23.9 | 16.8 | 13.5 | 12.5 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-6F-35 TO 41 | HALL | CCS-04 | CCS | 7 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-6F-42 | ห้องเก็บสำนวน | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-6F-01 | ห้องเตรียมอาหาร3 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-6F-02 | ห้องเก็บสำนวน | CCS-06 | CCS | 1 | 8.9 | 8.1 | 23.9 | 16.8 | 13.5 | 12.5 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-6F-03 TO 09 | สำนักงานล่าง | CCS-04 | CCS | 7 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-6F-10 TO 11 | ตุลาการหัวหน้าคณะ2 | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-6F-12 TO 15 | ตุลาการ 5-8 | CCS-06 | CCS | 4 | 8.9 | 8.1 | 23.9 | 16.8 | 13.5 | 12.5 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-6F-16 | ห้องรับรอง3 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-6F-17 TO 20 | HALL | CCS-04 | CCS | 4 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-6F-21 TO 22 | ห้องเอนกประสงค์ | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| | | | | | | | | | | | | | | | | | | | | | |
| W1C-7F-01 | TEL RM. | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W1C-7F-02 (ST.BY) | TEL RM. | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W1C-7F-03 TO 04 | โถงลิฟต์ | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-7F-01 TO 02 | ตุลาการหัวหน้าคณะ1 | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-7F-03 TO 06 | ตุลาการ1-4 | CCS-06 | CCS | 4 | 8.9 | 8.1 | 23.9 | 16.8 | 13.5 | 12.5 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-7F-07 TO 09 | ตุลาการ ผู้แถลงคดี1-2 | CCS-06 | CCS | 3 | 8.9 | 8.1 | 23.9 | 16.8 | 13.5 | 12.5 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-7F-10 TO 15 | สำนักงานนม ฝ่าย | CCS-04 | CCS | 6 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-7F-16 TO 19 | ห้องประชุม1 | CCS-04 | CCS | 4 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-7F-20 TO 27 | เลขาหัวหน้าตุลาการ | CCS-04 | CCS | 8 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-7F-28 | ห้องรับรอง1 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-7F-29 | ห้องเตรียมอาหาร1 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-7F-30 TO 31 | ห้องประชุม2 | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-7F-32 TO 34 | ตุลาการ ค้นคว้า เปรียบเทียบ 1-4 | CCS-06 | CCS | 3 | 8.9 | 8.1 | 23.9 | 16.8 | 13.5 | 12.5 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-7F-35 TO 41 | HALL | CCS-04 | CCS | 7 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-7F-42 | ห้องเก็บสำนวน | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-7F-01 | ห้องเตรียมอาหาร3 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-7F-02 | ห้องเก็บสำนวน | CCS-06 | CCS | 1 | 8.9 | 8.1 | 23.9 | 16.8 | 13.5 | 12.5 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |

## DAIKIN PROPOSE

| UNIT NO. | MODEL | MODEL Remote | Q'ty (Sets.) | Cooling Cap. KW Total | Sensible Cap. KW Total | Cooling Capable Cap DIFF (%) Total | Sensible Cap DIFF (%) Total | Entering Air Temp. °CDB | Entering Air Temp. °CWB | Leaving Air Temp. °CDB | Leaving Air Temp. °CWB | Air Flow Rate L/S | Air Flow Rate DIFF (%) | Water Temp. EWT °C | Water Temp. LWT °C | Flow Rate L/S | Flow Rate GPM | Ext.Static Pressure PA | ESP DIFF (%) | Filter PRE | Filter Medium | Power Supply V/Ph/Hz | Unit Price W/C PICV Valve Warranty 2 year | Total Price W/C PICV Valve Warranty 2 year | REMARK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| W1A-4F-23 TO 26 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4" |
| W1A-4F-27 TO 29 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W1A-4F-30 | FWF17AV2SBR3 | Wireless Remote Control | 1 | 10.9 | 9.4 | 22.7% | 16.3% | 23.9 | 16.8 | 14.6 | 13.3 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 65,600 | FLOWCON EVS SIZE 1" |
| W1B-4F-01 TO 11 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 11 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 440,000 | FLOWCON EVS SIZE 3/4" |
| W1B-4F-12 TO 14 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 3 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 120,000 | FLOWCON EVS SIZE 3/4" |
| W1B-4F-15 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1B-4F-16 TO 17 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W1B-4F-18 TO 22 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 5 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 200,000 | FLOWCON EVS SIZE 3/4" |
| W1B-4F-23 TO 25 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 3 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 120,000 | FLOWCON EVS SIZE 3/4" |
| W1-4A-01 | DDW080CD-DRMKAGJVE | W/O Remote Control | 1 | 33.9 | 24.5 | 0.3% | 0.8% | 23.6 | 17.6 | 12.5 | 12.0 | 1,850 | 0.0% | 7.2 | 13.8 | 1.2 | | 150.00 | 0.0% | G4 Plate Filter | - | 380/3/50 | 91,900 | 91,900 | |
| W1-4A-02 | DDW080CD-DRMKAGJVE | W/O Remote Control | 1 | 33.9 | 24.5 | 0.3% | 0.8% | 23.6 | 17.6 | 12.5 | 12.0 | 1,850 | 0.0% | 7.2 | 13.8 | 1.2 | | 150.00 | 0.0% | G4 Plate Filter | - | 380/3/50 | 91,900 | 91,900 | |
| | #N/A | | 0 | | | | | | | | | | | | | | | | | | | | | | |
| W1C-5F-01 | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W1C-5F-02 (ST BY) | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W1C-5F-03 TO 04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W1A-5F-01 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1A-5F-02 TO 03 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W1A-5F-04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1A-5F-05 TO 16 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 12 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 480,000 | FLOWCON EVS SIZE 3/4" |
| W1A-5F-17 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1A-5F-18 TO 20 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 3 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 120,000 | FLOWCON EVS SIZE 3/4" |
| W1A-5F-21 TO 24 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4" |
| W1B-5F-01 TO 03 | FWF17AV2SBR3 | Wireless Remote Control | 3 | 10.9 | 9.4 | 22.7% | 16.3% | 23.9 | 16.8 | 14.6 | 13.3 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 196,800 | FLOWCON EVS SIZE 1" |
| W1B-5F-04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1B-5F-05 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1B-5F-06 TO 07 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| | #N/A | | 0 | | | | | | | | | | | | | | | | | | | | | | |
| W1B-5F-08 TO 12 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 5 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 200,000 | FLOWCON EVS SIZE 3/4" |
| W1B-5F-13 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1B-5F-14 TO 15 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W1B-5F-16 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1B-5F-17 TO 24 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 8 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 320,000 | FLOWCON EVS SIZE 3/4" |
| W1B-5F-25 TO 26 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W1B-5F-27 TO 33 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 7 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 280,000 | FLOWCON EVS SIZE 3/4" |
| W1B-5F-34 TO 37 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4" |
| W1B-5F-38 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1B-5F-39 TO 40 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| | #N/A | | 0 | | | | | | | | | | | | | | | | | | | | | | |
| W1C-6F-01 | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W1C-6F-02(ST.BY) | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W1C-6F-03 TO 04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W1A-6F-01 TO 02 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W1A-6F-03 TO 06 | FWF17AV2SBR3 | Wireless Remote Control | 4 | 10.9 | 9.4 | 22.7% | 16.3% | 23.9 | 16.8 | 14.6 | 13.3 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 262,400 | FLOWCON EVS SIZE 1" |
| W1A-6F-07 TO 09 | FWF17AV2SBR3 | Wireless Remote Control | 3 | 10.9 | 9.4 | 22.7% | 16.3% | 23.9 | 16.8 | 14.6 | 13.3 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 196,800 | FLOWCON EVS SIZE 1" |
| W1A-6F-10 TO 15 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 6 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 240,000 | FLOWCON EVS SIZE 3/4" |
| W1A-6F-16 TO 19 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4" |
| W1A-6F-20 TO 27 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 8 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 320,000 | FLOWCON EVS SIZE 3/4" |
| W1A-6F-28 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1A-6F-29 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1A-6F-30 TO 31 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1A-6F-32 TO 34 | FWF17AV2SBR3 | Wireless Remote Control | 3 | 10.9 | 9.4 | 22.7% | 16.3% | 23.9 | 16.8 | 14.6 | 13.3 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 196,800 | FLOWCON EVS SIZE 1" |
| W1A-6F-35 TO 41 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 7 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 280,000 | FLOWCON EVS SIZE 3/4" |
| W1A-6F-42 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1B-6F-01 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1B-6F-02 | FWF17AV2SBR3 | Wireless Remote Control | 1 | 10.9 | 9.4 | 22.7% | 16.3% | 23.9 | 16.8 | 14.6 | 13.3 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 65,600 | FLOWCON EVS SIZE 1" |
| W1B-6F-03 TO 09 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 7 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 280,000 | FLOWCON EVS SIZE 3/4" |
| W1B-6F-10 TO 11 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W1B-6F-12 TO 15 | FWF17AV2SBR3 | Wireless Remote Control | 4 | 10.9 | 9.4 | 22.7% | 16.3% | 23.9 | 16.8 | 14.6 | 13.3 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 262,400 | FLOWCON EVS SIZE 1" |
| W1B-6F-16 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1B-6F-17 TO 20 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4" |
| W1B-6F-21 TO 22 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| | #N/A | | 0 | | | | | | | | | | | | | | | | | | | | | | |
| W1C-7F-01 | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W1C-7F-02 (ST.BY) | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W1C-7F-03 TO 04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W1A-7F-01 TO 02 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W1A-7F-03 TO 06 | FWF17AV2SBR3 | Wireless Remote Control | 4 | 10.9 | 9.4 | 22.7% | 16.3% | 23.9 | 16.8 | 14.6 | 13.3 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 262,400 | FLOWCON EVS SIZE 1" |
| W1A-7F-07 TO 09 | FWF17AV2SBR3 | Wireless Remote Control | 3 | 10.9 | 9.4 | 22.7% | 16.3% | 23.9 | 16.8 | 14.6 | 13.3 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 196,800 | FLOWCON EVS SIZE 1" |
| W1A-7F-10 TO 15 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 6 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 240,000 | FLOWCON EVS SIZE 3/4" |
| W1A-7F-16 TO 19 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4" |
| W1A-7F-20 TO 27 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 8 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 320,000 | FLOWCON EVS SIZE 3/4" |
| W1A-7F-28 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1A-7F-29 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1A-7F-30 TO 31 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W1A-7F-32 TO 34 | FWF17AV2SBR3 | Wireless Remote Control | 3 | 10.9 | 9.4 | 22.7% | 16.3% | 23.9 | 16.8 | 14.6 | 13.3 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 196,800 | FLOWCON EVS SIZE 1" |
| W1A-7F-35 TO 41 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 7 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 280,000 | FLOWCON EVS SIZE 3/4" |
| W1A-7F-42 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1B-7F-01 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1B-7F-02 | FWF17AV2SBR3 | Wireless Remote Control | 1 | 10.9 | 9.4 | 22.7% | 16.3% | 23.9 | 16.8 | 14.6 | 13.3 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 65,600 | FLOWCON EVS SIZE 1" |

# ตารางแสดงรายการเครื่องปรับอากาศ (AHU and FCU schedule)

PROJECT : ศูนย์ราชการโซนC ตะวันตก

ผู้นำเสนอ : บริษัท สยามไดกิ้นเซลส์ จำกัด
Date : 9-Dec-2020

Quotation NO : QV2011010
Warranty : 2 year
REV : 00

## AIR HANDLING UNITS AND FANCOIL SCHEDULE

| UNIT NO. | LOCATION SERVED AREA | UNIT NO. Spec sheet | TYPE | Q'ty (Sets.) | Cooling Cap. KW Total | Sensible Cap KW Total | Entering Air Temp. °CDB | Entering Air Temp. °CWB | Leaving Air Temp. °CDB | Leaving Air Temp. °CWB | SA FLOW L/S | Water Temp. ENT °C | Water Temp. LEAV °C | Flow Rate L/S | Ext.Static Pressure PA | ESP From Filter PA | ESP W/O Filter PA | Filter PRE | Filter MEDIUM | Power Supply V/Ph/Hz | Remark |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| W1B-7F-03 TO 09 | สำนักงานล่าง | CCS-04 | CCS | 7 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-7F-10 TO 11 | ตุลาการหัวหน้าคณะ2 | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-7F-12 TO 15 | ตุลาการ5-8 | CCS-06 | CCS | 4 | 8.9 | 8.1 | 23.9 | 16.8 | 13.5 | 12.5 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-7F-16 | ห้องรับรอง3 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-7F-17 TO 20 | HALL | CCS-04 | CCS | 4 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| | | | | | | | | | | | | | | | | | | | | | |
| W1C-8F-01 | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W1C-8F-02(ST.BY) | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W1C-8F-03 TO 04 | โถงลิฟต์ | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-8F-01 TO 02 | ตุลาการหัวหน้าคณะ1 | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-8F-03 TO 06 | ตุลาการ1-4 | CCS-06 | CCS | 4 | 8.9 | 8.1 | 23.9 | 16.8 | 13.5 | 12.5 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-8F-07 TO 09 | ตุลาการ ผู้แถลงคดี1-2 | CCS-06 | CCS | 3 | 8.9 | 8.1 | 23.9 | 16.8 | 13.5 | 12.5 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-8F-10 TO 15 | สำนักงานบน ซ้าย | CCS-04 | CCS | 6 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-8F-16 TO 19 | ห้องประชุม1 | CCS-04 | CCS | 4 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-8F-20 TO 27 | เลขาหัวหน้าตุลาการ | CCS-04 | CCS | 8 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-8F-28 | ห้องรับรอง1 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-8F-29 | ห้องเตรียมอาหาร1 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-8F-30 TO 31 | ห้องประชุม2 | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-8F-32 TO 34 | ตุลาการ ค้นคว้า เปรียบเทียบ 1-4 | CCS-06 | CCS | 3 | 8.9 | 8.1 | 23.9 | 16.8 | 13.5 | 12.5 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-8F-35 TO 41 | HALL | CCS-04 | CCS | 7 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-8F-42 | ห้องเก็บสำนวน | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-8F-01 | ห้องเตรียมอาหาร3 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-8F-02 | ห้องเก็บสำนวน | CCS-06 | CCS | 1 | 8.9 | 8.1 | 23.9 | 16.8 | 13.5 | 12.5 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-8F-03 TO 09 | สำนักงานล่าง | CCS-04 | CCS | 7 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-8F-10 TO 11 | ตุลาการหัวหน้าคณะ2 | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-8F-12 TO 15 | ตุลาการ5-8 | CCS-06 | CCS | 4 | 8.9 | 8.1 | 23.9 | 16.8 | 13.5 | 12.5 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-8F-16 | ห้องรับรอง3 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-8F-17 TO 20 | HALL | CCS-04 | CCS | 4 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| | | | | | | | | | | | | | | | | | | | | | |
| W1C-9F-01 | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W1C-9F-02 (ST.BY) | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W1C-9F-03 TO 04 | โถงลิฟต์ | CCS-02 | CCS | 2 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-9F-01 TO 02 | ตุลาการหัวหน้าคณะ1 | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-9F-03 TO 06 | ตุลาการ1-4 | CCS-06 | CCS | 4 | 8.9 | 8.1 | 23.9 | 16.8 | 13.5 | 12.5 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-9F-07 TO 12 | ตุลาการ ผู้แถลงคดี1-6 | CCS-06 | CCS | 6 | 8.9 | 8.1 | 23.9 | 16.8 | 13.5 | 12.5 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-9F-13 TO 18 | สำนักงานบน ซ้าย | CCS-04 | CCS | 6 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-9F-19 TO 22 | ห้องประชุม1 | CCS-04 | CCS | 4 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-9F-23 TO 30 | เลขาหัวหน้าตุลาการ | CCS-04 | CCS | 8 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-9F-31 | ห้องรับรอง1 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-9F-32 | ห้องเตรียมอาหาร1 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-9F-33 TO 34 | ห้องประชุม2 | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-9F-35 TO 41 | HALL | CCS-04 | CCS | 7 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-9F-42 | ห้องเก็บสำนวน1 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| | | | | | | | | | | | | | | | | | | | | | |
| W1B-9F-01 TO 04 | HALL | CCS-04 | CCS | 4 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-9F-05 TO 12 | ประธานคดีแผนก1-2 | CCS-04 | CCS | 8 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-9F-13 | ห้องอ่านหนังสือ1 | CCS-06 | CCS | 1 | 8.9 | 8.1 | 23.9 | 16.8 | 13.5 | 12.5 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-9F-14 | ห้องอ่านหนังสือ2 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-9F-15 TO 16 | ห้องประชุม3-4 | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-9F-17 TO 20 | ห้องทำงาน1-2 | CCS-04 | CCS | 4 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-9F-21 TO 22 | ห้องรับรอง3-4 | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-9F-23 TO 24 | ห้องอเนกประสงค์ | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-9F-25 TO 26 | ห้องเก็บสำนวน2-3 | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| | | | | | | | | | | | | | | | | | | | | | |
| W1C-10F-01 | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W1C-10F-02(ST.BY) | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W1C-10F-03 TO 04 | โถงลิฟต์ | CCS-02 | CCS | 2 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-10F-01 | ห้องประชุม1 | CCS-06 | CCS | 1 | 8.9 | 8.1 | 23.9 | 16.8 | 13.5 | 12.5 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-10F-02 TO 04 | ห้องทำงาน1 | CCS-04 | CCS | 3 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-10F-05 | ห้องหนังสือ | CCS-06 | CCS | 1 | 8.9 | 8.1 | 23.9 | 16.8 | 13.5 | 12.5 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-10F-06 TO 11 | ตุลาการผู้แถลงคดี1-6 | CCS-06 | CCS | 6 | 8.9 | 8.1 | 23.9 | 16.8 | 13.5 | 12.5 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-10F-12 TO 19 | สำนักงานบน ซ้าย | CCS-04 | CCS | 8 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-10F-20 | ห้องเก็บสำนวน1 | CCS-06 | CCS | 1 | 8.9 | 8.1 | 23.9 | 16.8 | 13.5 | 12.5 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-10F-21 TO 26 | สำนักงานบน ขวา | CCS-04 | CCS | 6 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-10F-27 | ห้องรับรอง1 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-10F-28 TO 34 | HALL | CCS-04 | CCS | 7 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-10F-01 TO 04 | HALL | CCS-04 | CCS | 4 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-10F-05 TO 09 | HALL | CCS-04 | CCS | 5 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-10F-10 TO 11 | ห้องหนังสือ2 | CCS-06 | CCS | 2 | 8.9 | 8.1 | 23.9 | 16.8 | 13.5 | 12.5 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-10F-12 TO 14 | ห้องทำงาน2 | CCS-04 | CCS | 3 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-10F-15 | ห้องรับรอง2 | CCS-06 | CCS | 1 | 8.9 | 8.1 | 23.9 | 16.8 | 13.5 | 12.5 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-10F-16 | ห้องเตรียมอาหาร2 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-10F-17 TO 18 | ห้องประชุม2-3 | CCS-06 | CCS | 2 | 8.9 | 8.1 | 23.9 | 16.8 | 13.5 | 12.5 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-10F-19 TO 23 | สำนักงานล่าง ขวา | CCS-04 | CCS | 5 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-10F-24 | ห้องเตรียมอาหาร3 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-10F-25 | ห้องเก็บสำนวน2 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-10F-26 TO 27 | ห้องรับรอง3 | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-10F-28 TO 30 | ประธานศาลปกครอง | CCS-04 | CCS | 3 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-10F-31 | ห้องหนังสือ3 | CCS-06 | CCS | 1 | 8.9 | 8.1 | 23.9 | 16.8 | 13.5 | 12.5 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |

## DAIKIN PROPOSE

| UNIT NO. | MODEL | MODEL Remote | Q'ty (Sets.) | Cooling Cap. KW Total | Sensible Cap. KW Total | Cooling Capable Cap DIFF (%) Total | Sensible Capable Cap DIFF (%) Total | Entering Air Temp. °CDB | Entering Air Temp. °CWB | Leaving Air Temp. °CDB | Leaving Air Temp. °CWB | Air Flow Rate L/S | Air Flow Rate DIFF (%) | Water Temp. EWT °C | Water Temp. LWT °C | Flow Rate L/S | Flow Rate GPM | Ext.Static Pressure PA | ESP DIFF (%) | Filter PRE | Filter Medium | Power Supply V/Ph/Hz | Unit Price W/C PICV Valve Warranty 2 year | Total Price W/C PICV Valve Warranty 2 year | REMARK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| W1B-7F-03 TO 09 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 7 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 280,000 | FLOWCON EVS SIZE 3/4" |
| W1B-7F-10 TO 11 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W1B-7F-12 TO 15 | FWF17AV2SBR3 | Wireless Remote Control | 4 | 10.9 | 9.4 | 22.7% | 16.3% | 23.9 | 16.8 | 14.6 | 13.3 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 262,400 | FLOWCON EVS SIZE 1" |
| W1B-7F-16 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1B-7F-17 TO 20 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4" |
| | #N/A | | 0 | | | | | | | | | | | | | | | | | | | | | | |
| W1C-8F-01 | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W1C-8F-02(ST.BY) | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W1C-8F-03 TO 04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W1A-8F-01 TO 02 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W1A-8F-03 TO 06 | FWF17AV2SBR3 | Wireless Remote Control | 4 | 10.9 | 9.4 | 22.7% | 16.3% | 23.9 | 16.8 | 14.6 | 13.3 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 262,400 | FLOWCON EVS SIZE 1" |
| W1A-8F-07 TO 09 | FWF17AV2SBR3 | Wireless Remote Control | 3 | 10.9 | 9.4 | 22.7% | 16.3% | 23.9 | 16.8 | 14.6 | 13.3 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 196,800 | FLOWCON EVS SIZE 1" |
| W1A-8F-10 TO 15 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 6 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 240,000 | FLOWCON EVS SIZE 3/4" |
| W1A-8F-16 TO 19 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4" |
| W1A-8F-20 TO 27 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 8 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 320,000 | FLOWCON EVS SIZE 3/4" |
| W1A-8F-28 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1A-8F-29 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1A-8F-30 TO 31 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W1A-8F-32 TO 34 | FWF17AV2SBR3 | Wireless Remote Control | 3 | 10.9 | 9.4 | 22.7% | 16.3% | 23.9 | 16.8 | 14.6 | 13.3 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 196,800 | FLOWCON EVS SIZE 1" |
| W1A-8F-35 TO 41 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 7 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 280,000 | FLOWCON EVS SIZE 3/4" |
| W1A-8F-42 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1B-8F-01 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1B-8F-02 | FWF17AV2SBR3 | Wireless Remote Control | 1 | 10.9 | 9.4 | 22.7% | 16.3% | 23.9 | 16.8 | 14.6 | 13.3 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 65,600 | FLOWCON EVS SIZE 1" |
| W1B-8F-03 TO 09 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 7 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 280,000 | FLOWCON EVS SIZE 3/4" |
| W1B-8F-10 TO 11 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W1B-8F-12 TO 15 | FWF17AV2SBR3 | Wireless Remote Control | 4 | 10.9 | 9.4 | 22.7% | 16.3% | 23.9 | 16.8 | 14.6 | 13.3 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 262,400 | FLOWCON EVS SIZE 1" |
| W1B-8F-16 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1B-8F-17 TO 20 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4" |
| | #N/A | | 0 | | | | | | | | | | | | | | | | | | | | | | |
| W1C-9F-01 | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W1C-9F-02 (ST.BY) | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W1C-9F-03 TO 04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W1A-9F-01 TO 02 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W1A-9F-03 TO 06 | FWF17AV2SBR3 | Wireless Remote Control | 4 | 10.9 | 9.4 | 22.7% | 16.3% | 23.9 | 16.8 | 14.6 | 13.3 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 262,400 | FLOWCON EVS SIZE 1" |
| W1A-9F-07 TO 12 | FWF17AV2SBR3 | Wireless Remote Control | 6 | 10.9 | 9.4 | 22.7% | 16.3% | 23.9 | 16.8 | 14.6 | 13.3 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 393,600 | FLOWCON EVS SIZE 1" |
| W1A-9F-13 TO 18 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 6 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 240,000 | FLOWCON EVS SIZE 3/4" |
| W1A-9F-19 TO 22 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4" |
| W1A-9F-23 TO 30 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 8 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 320,000 | FLOWCON EVS SIZE 3/4" |
| W1A-9F-31 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1A-9F-32 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1A-9F-33 TO 34 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W1A-9F-35 TO 41 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 7 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 280,000 | FLOWCON EVS SIZE 3/4" |
| W1A-9F-42 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| | #N/A | | 0 | | | | | | | | | | | | | | | | | | | | | | |
| W1B-9F-01 TO 04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4" |
| W1B-9F-05 TO 12 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 8 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 320,000 | FLOWCON EVS SIZE 3/4" |
| W1B-9F-13 | FWF17AV2SBR3 | Wireless Remote Control | 1 | 10.9 | 9.4 | 22.7% | 16.3% | 23.9 | 16.8 | 14.6 | 13.3 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 65,600 | FLOWCON EVS SIZE 1" |
| W1B-9F-14 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1B-9F-15 TO 16 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W1B-9F-17 TO 20 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4" |
| W1B-9F-21 TO 22 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W1B-9F-23 TO 24 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W1B-9F-25 TO 26 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| | #N/A | | 0 | | | | | | | | | | | | | | | | | | | | | | |
| W1C-10F-01 | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W1C-10F-02(ST.BY) | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W1C-10F-03 TO 04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W1A-10F-01 | FWF17AV2SBR3 | Wireless Remote Control | 1 | 10.9 | 9.4 | 22.7% | 16.3% | 23.9 | 16.8 | 14.6 | 13.3 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 65,600 | FLOWCON EVS SIZE 1" |
| W1A-10F-02 TO 04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 3 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 120,000 | FLOWCON EVS SIZE 3/4" |
| W1A-10F-05 | FWF17AV2SBR3 | Wireless Remote Control | 1 | 10.9 | 9.4 | 22.7% | 16.3% | 23.9 | 16.8 | 14.6 | 13.3 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 65,600 | FLOWCON EVS SIZE 1" |
| W1A-10F-06 TO 11 | FWF17AV2SBR3 | Wireless Remote Control | 6 | 10.9 | 9.4 | 22.7% | 16.3% | 23.9 | 16.8 | 14.6 | 13.3 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 393,600 | FLOWCON EVS SIZE 1" |
| W1A-10F-12 TO 19 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 8 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 320,000 | FLOWCON EVS SIZE 3/4" |
| W1A-10F-20 | FWF17AV2SBR3 | Wireless Remote Control | 1 | 10.9 | 9.4 | 22.7% | 16.3% | 23.9 | 16.8 | 14.6 | 13.3 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 65,600 | FLOWCON EVS SIZE 1" |
| W1A-10F-21 TO 26 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 6 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 240,000 | FLOWCON EVS SIZE 3/4" |
| W1A-10F-27 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1A-10F-28 TO 34 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 7 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 280,000 | FLOWCON EVS SIZE 3/4" |
| W1B-10F-01 TO 04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4" |
| W1B-10F-05 TO 09 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 5 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 200,000 | FLOWCON EVS SIZE 3/4" |
| W1B-10F-10 TO 11 | FWF17AV2SBR3 | Wireless Remote Control | 2 | 10.9 | 9.4 | 22.7% | 16.3% | 23.9 | 16.8 | 14.6 | 13.3 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 131,200 | FLOWCON EVS SIZE 1" |
| W1B-10F-12 TO 14 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 3 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 120,000 | FLOWCON EVS SIZE 3/4" |
| W1B-10F-15 | FWF17AV2SBR3 | Wireless Remote Control | 1 | 10.9 | 9.4 | 22.7% | 16.3% | 23.9 | 16.8 | 14.6 | 13.3 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 65,600 | FLOWCON EVS SIZE 1" |
| W1B-10F-16 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1B-10F-17 TO 18 | FWF17AV2SBR3 | Wireless Remote Control | 2 | 10.9 | 9.4 | 22.7% | 16.3% | 23.9 | 16.8 | 14.6 | 13.3 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 131,200 | FLOWCON EVS SIZE 1" |
| W1B-10F-19 TO 23 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 5 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 200,000 | FLOWCON EVS SIZE 3/4" |
| W1B-10F-24 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1B-10F-25 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1B-10F-26 TO 27 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W1B-10F-28 TO 30 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 3 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 120,000 | FLOWCON EVS SIZE 3/4" |
| W1B-10F-31 | FWF17AV2SBR3 | Wireless Remote Control | 1 | 10.9 | 9.4 | 22.7% | 16.3% | 23.9 | 16.8 | 14.6 | 13.3 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 65,600 | FLOWCON EVS SIZE 1" |

**ตารางแสดงรายการเครื่องปรับอากาศ (AHU and FCU schedule)**

**PROJECT : ศูนย์ราชการโซนC ตะวันตก**

ผู้นำเสนอ : บริษัท สยามไดกิ้นเซลส์ จำกัด
Date : 9-Dec-2020

Quotation NO : QV2011010
Warranty : 2 year
REV : 00

## AIR HANDLING UNITS AND FANCOIL SCHEDULE

| UNIT NO. | LOCATION SERVED AREA | UNIT NO. Spec sheet | TYPE | Q'ty (Sets.) | Cooling Cap. KW Total | Sensible Cap KW Total | Entering Air Temp. °CDB | Entering Air Temp. °CWB | Leaving Air Temp. °CDB | Leaving Air Temp. °CWB | SA FLOW L/S | Water Temp. ENT °C | Water Temp. LEAV °C | Flow Rate L/S | Ext.Static Pressure PA | ESP From Filter PA | ESP W/O Filter PA | Filter PRE | Filter MEDIUM | Power Supply V/Ph/Hz | Remark |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| W1B-10F-32 | ห้องเก็บสำนวน3 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| | | | | | | | | | | | | | | | | | | | | | |
| W1C-11F-01 | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W1C-11F-02(ST.BY) | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W1C-11F-03 TO 04 | โถงลิฟต์ | CCS-02 | CCS | 2 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-11F-01 TO 11 | ห้องจัดเลี้ยง1 | CCS-04 | CCS | 11 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-11F-12 TO 13 | ห้องควบคุม1 | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-11F-14 TO 22 | ห้องประชุมบอร์ด | CCS-04 | CCS | 9 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-11F-23 TO 25 | ห้องรับรองแขกต่างประเทศ | CCS-04 | CCS | 3 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-11F-26 TO 27 | ทางเดิน | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-11F-28 | ห้องรับรอง2 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-11F-29 TO 31 | ห้องเตรียมอาหาร2 | CCS-04 | CCS | 3 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-11F-32 TO 33 | ห้องพักหญิง-ชาย | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-11F-34 TO 37 | ห้องน้ำหญิง-ชาย | CCS-04 | CCS | 4 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1A-11F-38 TO 43 | HALL | CCS-04 | CCS | 6 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-11F-01 TO 15 | FITNESS | CCS-04 | CCS | 15 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-11F-16 TO 19 | ห้องโยคะ | CCS-04 | CCS | 4 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-11F-20 TO 25 | ห้องพระ | CCS-04 | CCS | 5 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W1B-11F-26 TO 30 | HALL | CCS-04 | CCS | 4 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| **W2** | | | | | | | | | | | | | | | | | | | | | |
| W2C-B2F-01 | โถงลิฟต์ | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 350 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2C-B1F-01 | โถงลิฟต์ | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 350 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2C-B1F-02 TO 03 | ห้องควบคุมตัว3,4 | CE-02 | CE | 2 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W2-B1F-01 | ซ่อมบำรุงอุปกรณ์ | CE-03 | CE | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 300 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2-B1F-02 | พนักงานขับรถ | CE-03 | CE | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 300 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2-B1F-03 | ห้องขยะเปียก | CE-01 | CE | 1 | 8.8 | 7 | 19.6 | 13.7 | 10.9 | 10.1 | 825 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W2-B1F-04 | ห้องขยะเปียก | CE-01 | CE | 1 | 8.8 | 7 | 19.6 | 13.7 | 10.9 | 10.1 | 825 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W2-B1F-05 | ห้องขยะเปียก | CE-01 | CE | 1 | 8.8 | 7 | 19.6 | 13.7 | 10.9 | 10.1 | 825 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W2-B1F-06 | ห้องขยะเปียก | CE-01 | CE | 1 | 8.8 | 7 | 19.6 | 13.7 | 10.9 | 10.1 | 825 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| | | | | | | | | | | | | | | | | | | | | | |
| W2C-1F-01 | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W2C-1F-02(ST.BY) | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W2C-1F-03 TO 04 | โถงลิฟต์ | CCS-02 | CCS | 2 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-1F-01 TO 03 | ห้องรับรองนักข่าว | CCS-04 | CCS | 3 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-1F-04 | ผอ.บริหารอาคาร | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-1F-05 TO 07 | บริหารอาคาร | CCS-04 | CCS | 3 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-1F-08 | เจ้าหน้าที่ช่าง | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-1F-09 TO 12 | ห้องแถลงข่าว | CCS-04 | CCS | 4 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-1F-13 TO 14 | ห้องประชุม | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-1F-15 | ห้องเตรียมอาหาร | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-1F-16 | ห้องพยาบาล | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-1F-17 | CCTV | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-1F-18 | ABS | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-1F-19 | สนต. | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-1F-20 TO 26 | HALL | CCS-04 | CCS | 7 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-1F-27 TO 28 | HALL | CC-02 | CC W/ PLENUM | 2 | 11.8 | 10.6 | 23.9 | 16.8 | 13.5 | 12.5 | 650 | 7.20 | 13.80 | 0.43 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-1F-01 TO 03 | HALL | CCS-04 | CCS | 3 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-1F-04 TO 07 | สำนักงาน ล่าง | CCS-04 | CCS | 4 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-1F-08 TO 09 | กลุ่มค่าธรรมเนียม | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-1F-10 TO 11 | ยุทธศาสตร์ | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-1F-12 TO 14 | กลุ่มงานสารบรรณ | CCS-04 | CCS | 3 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-1F-15 | ผอ. สารบรรณ | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-1F-16 TO 17 | สบม. | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-1F-18 TO 19 | HALL | CC-02 | CC W/ PLENUM | 2 | 11.8 | 10.6 | 23.9 | 16.8 | 13.5 | 12.5 | 650 | 7.20 | 13.80 | 0.43 | - | - | - | MS-1 | | 230/1/50 | |
| | | | | | | | | | | | | | | | | | | | | | |
| W2C-2F-01 | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W2C-2F-02(ST.BY) | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W2C-2F-03 TO 04 | โถงลิฟต์ | CCS-02 | CCS | 2 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-2F-01 TO 08 | สนง คดีศาลปกครอง1 | CCS-04 | CCS | 8 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-2F-09 TO 23 | สนง คดีศาลปกครอง2 | CCS-04 | CCS | 15 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-2F-24 | ห้องเตรียมอาหาร1 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-2F-25 TO 30 | HALL | CCS-04 | CCS | 6 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-2F-31 TO 32 | มูลนิธิวิจัย | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-2F-01 TO 02 | HALL | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-2F-03 TO 06 | ห้องประชุม1 | CCS-04 | CCS | 4 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-2F-07 | ห้องเตรียมอาหาร3 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-2F-08 | ห้องประชุม2 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-2F-09 TO 11 | สนง เลขา ศาลปกครอง | CCS-04 | CCS | 3 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-2F-12 TO 13 | เลขาธิการ | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-2F-14 TO 17 | รองเลขาธิการ1-4 | CCS-04 | CCS | 4 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-2F-18 TO 22 | CLOSED OFFICE 1-5 | CCS-04 | CCS | 5 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| | | | | | | | | | | | | | | | | | | | | | |
| W2C-3F-01 | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W2C-3F-02(ST.BY) | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W2C-3F-03 TO 04 | โถงลิฟต์ | CCS-02 | CCS | 2 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-3F-01 | ห้องพักตุลาการ1 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-3F-02 | ห้องพักตุลาการ2 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-3F-03 TO 08 | ห้องไต่สวนกลาง2-3 | CCS-04 | CCS | 6 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-3F-09 | ห้องพักตุลาการ3 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |

## DAIKIN PROPOSE

| UNIT NO. | MODEL | MODEL Remote | Q'ty (Sets.) | Cooling Cap. KW Total | Sensible Cap. KW Total | Cooling Cap DIFF (%) Total | Sensible Cap DIFF (%) Total | Entering Air Temp. °CDB | Entering Air Temp. °CWB | Leaving Air Temp. °CDB | Leaving Air Temp. °CWB | Air Flow Rate L/S | Air Flow Rate DIFF (%) | Water Temp. EWT °C | Water Temp. LWT °C | Flow Rate L/S | Flow Rate GPM | Ext.Static Pressure PA | ESP DIFF (%) | Filter PRE | Filter Medium | Power Supply V/Ph/Hz | Unit Price W/C PICV Valve Warranty 2 year | Total Price W/C PICV Valve Warranty 2 year | REMARK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| W1B-10F-32 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| | #N/A | | 0 | | | | | | | | | | | | | | | | | | | | | | |
| W1C-11F-01 | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W1C-11F-02(ST.BY) | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W1C-11F-03 TO 04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W1A-11F-01 TO 11 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 11 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 440,000 | FLOWCON EVS SIZE 3/4" |
| W1A-11F-12 TO 13 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W1A-11F-14 TO 22 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 9 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 360,000 | FLOWCON EVS SIZE 3/4" |
| W1A-11F-23 TO 25 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 3 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 120,000 | FLOWCON EVS SIZE 3/4" |
| W1A-11F-26 TO 27 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W1A-11F-28 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W1A-11F-29 TO 31 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 3 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 120,000 | FLOWCON EVS SIZE 3/4" |
| W1A-11F-32 TO 33 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W1A-11F-34 TO 37 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4" |
| W1A-11F-38 TO 43 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 6 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 240,000 | FLOWCON EVS SIZE 3/4" |
| W1B-11F-01 TO 15 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 15 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 600,000 | FLOWCON EVS SIZE 3/4" |
| W1B-11F-16 TO 19 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4" |
| W1B-11F-20 TO 25 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 5 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 200,000 | FLOWCON EVS SIZE 3/4" |
| W1B-11F-26 TO 30 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4" |
| **W2** | | | | | | | | | | | | | | | | | | | | | | | | | |
| W2C-B2F-01 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 34.8% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2C-B1F-01 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 34.8% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2C-B1F-02 TO 03 | FWH06A2AR | Wireless Remote Control | 2 | 3.2 | 2.3 | 47.3% | 56.0% | 23.8 | 18.2 | 17.0 | 14.9 | 600 | 300.0% | 7.2 | 13.8 | 0.1 | | - | | Saranet Filter | - | 220/1/50 | 12,700 | 25,400 | Nominal ESP |
| W2-B1F-01 | FWH10A2AR | Wireless Remote Control | 1 | 5.8 | 5.2 | 11.5% | 9.6% | 23.9 | 16.8 | 14.9 | 13.0 | 1,000 | 233.3% | 7.2 | 13.8 | 0.2 | | - | | Saranet Filter | - | 220/1/50 | 15,400 | 15,400 | |
| W2-B1F-02 | FWH10A2AR | Wireless Remote Control | 1 | 5.8 | 5.2 | 11.5% | 9.6% | 23.9 | 16.8 | 14.9 | 13.0 | 1,000 | 233.3% | 7.2 | 13.8 | 0.2 | | - | | Saranet Filter | - | 220/1/50 | 15,400 | 15,400 | |
| W2-B1F-03 | FWH14A2AR | Wireless Remote Control | 2 | 5.0 | 5.0 | 13.9% | 43.1% | 19.6 | 13.7 | 13.4 | 11.2 | 661 | 60.2% | 7.2 | 13.8 | 0.2 | | - | | Saranet Filter | - | 220/1/50 | 20,900 | 41,800 | เพิ่มเครื่องเพื่อ Cover Cap. |
| W2-B1F-04 | FWH14A2AR | Wireless Remote Control | 2 | 5.0 | 5.0 | 13.9% | 43.1% | 19.6 | 13.7 | 13.4 | 11.2 | 661 | 60.2% | 7.2 | 13.8 | 0.2 | | - | | Saranet Filter | - | 220/1/50 | 20,900 | 41,800 | เพิ่มเครื่องเพื่อ Cover Cap. |
| W2-B1F-05 | FWH14A2AR | Wireless Remote Control | 2 | 5.0 | 5.0 | 13.9% | 43.1% | 19.6 | 13.7 | 13.4 | 11.2 | 661 | 60.2% | 7.2 | 13.8 | 0.2 | | - | | Saranet Filter | - | 220/1/50 | 20,900 | 41,800 | เพิ่มเครื่องเพื่อ Cover Cap. |
| W2-B1F-06 | FWH14A2AR | Wireless Remote Control | 2 | 5.0 | 5.0 | 13.9% | 43.1% | 19.6 | 13.7 | 13.4 | 11.2 | 661 | 60.2% | 7.2 | 13.8 | 0.2 | | - | | Saranet Filter | - | 220/1/50 | 20,900 | 41,800 | เพิ่มเครื่องเพื่อ Cover Cap. |
| | #N/A | | 0 | | | | | | | | | | | | | | | | | | | | | | |
| W2C-1F-01 | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W2C-1F-02(ST.BY) | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W2C-1F-03 TO 04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2A-1F-01 TO 03 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 3 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 120,000 | FLOWCON EVS SIZE 3/4" |
| W2A-1F-04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2A-1F-05 TO 07 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 3 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 120,000 | FLOWCON EVS SIZE 3/4" |
| W2A-1F-08 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2A-1F-09 TO 12 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4" |
| W2A-1F-13 TO 14 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2A-1F-15 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2A-1F-16 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2A-1F-17 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2A-1F-18 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2A-1F-19 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2A-1F-20 TO 26 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 7 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 280,000 | FLOWCON EVS SIZE 3/4" |
| W2A-1F-27 TO 28 | UAH15KS | W/O Remote Control | 2 | 11.8 | 9.9 | 0.0% | -6.5% | 23.9 | 16.8 | 11.5 | 11.2 | 650 | 0.0% | 7.2 | 13.8 | 6.9 | | - | | Nylon Filter | - | 220/1/50 | 44,400 | 88,800 | |
| W2B-1F-01 TO 03 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 3 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 120,000 | FLOWCON EVS SIZE 3/4" |
| W2B-1F-04 TO 07 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4" |
| W2B-1F-08 TO 09 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2B-1F-10 TO 11 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2B-1F-12 TO 14 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 3 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 120,000 | FLOWCON EVS SIZE 3/4" |
| W2B-1F-15 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2B-1F-16 TO 17 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2B-1F-18 TO 19 | UAH15KS | W/O Remote Control | 2 | 11.8 | 9.9 | 0.0% | -6.5% | 23.9 | 16.8 | 11.5 | 11.2 | 650 | 0.0% | 7.2 | 13.8 | 6.9 | | - | | Nylon Filter | - | 220/1/50 | 44,400 | 88,800 | |
| | #N/A | | 0 | | | | | | | | | | | | | | | | | | | | | | |
| W2C-2F-01 | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W2C-2F-02(ST.BY) | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W2C-2F-03 TO 04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2A-2F-01 TO 08 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 8 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 320,000 | FLOWCON EVS SIZE 3/4" |
| W2A-2F-09 TO 23 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 15 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 600,000 | FLOWCON EVS SIZE 3/4" |
| W2A-2F-24 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2A-2F-25 TO 30 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 6 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 240,000 | FLOWCON EVS SIZE 3/4" |
| W2A-2F-31 TO 32 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2B-2F-01 TO 02 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2B-2F-03 TO 06 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4" |
| W2B-2F-07 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2B-2F-08 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2B-2F-09 TO 11 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 3 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 120,000 | FLOWCON EVS SIZE 3/4" |
| W2B-2F-12 TO 13 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2B-2F-14 TO 17 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4" |
| W2B-2F-18 TO 22 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 5 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 200,000 | FLOWCON EVS SIZE 3/4" |
| | #N/A | | 0 | | | | | | | | | | | | | | | | | | | | | | |
| W2C-3F-01 | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W2C-3F-02(ST.BY) | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W2C-3F-03 TO 04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2A-3F-01 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2A-3F-02 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2A-3F-03 TO 08 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 6 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 240,000 | FLOWCON EVS SIZE 3/4" |
| W2A-3F-09 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |

ตารางแสดงรายการเครื่องปรับอากาศ (AHU and FCU schedule)
PROJECT : ศูนย์ราชการโซนC ตะวันตก

ผู้นำเสนอ : บริษัท สยามไดกิ้นเซลส์ จำกัด
Date : 9-Dec-2020

Quotation NO : QV2011010
Warranty : 2 year
REV : 00

## AIR HANDLING UNITS AND FANCOIL SCHEDULE

| UNIT NO. | LOCATION SERVED AREA | UNIT NO. Spec sheet | TYPE | Q'ty (Sets.) | Cooling Cap. KW Total | Sensible Cap KW Total | Entering Air Temp. °CDB | Entering Air Temp. °CWB | Leaving Air Temp. °CDB | Leaving Air Temp. °CWB | SA FLOW L/S | Water Temp. ENT °C | Water Temp. LEAV °C | Flow Rate L/S | Ext.Static Pressure PA | ESP From Filter PA | ESP W/O Filter PA | Filter PRE | Filter MEDIUM | Power Supply V/Ph/Hz | Remark |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| W2A-3F-10 TO 14 | HALL | CCS-04 | CCS | 5 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-3F-01 TO 06 | HALL | CCS-04 | CCS | 6 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-3F-07 | ห้องพักตุลาการ4 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-3F-08 TO 09 | ห้องพักพยาบาล1-2 | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-3F-10 TO 14 | ห้องไต่สวนใหญ่2 | CCS-04 | CCS | 5 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-3F-15 TO 16 | ห้องไกล่เกลี่ย2 | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| | | | | | | | | | | | | | | | | | | | | | |
| W2C-4F-01 | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W2C-4F-02 (ST.BY) | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W2C-4F-03 TO 04 | โถงลิฟต์ | CCS-02 | CCS | 2 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-4F-01 TO 03 | ห้องอเนกประสงค์ | CCS-04 | CCS | 3 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-4F-04 | ห้องรับรอง | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-4F-05 TO 07 | HALL | CCS-04 | CCS | 3 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-4F-01 TO 03 | HALL | CCS-04 | CCS | 3 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-4F-04 | ผอ. | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-4F-05 | ห้องเตรียมอาหาร | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-4F-06 TO 11 | สำนักงาน IT | CCS-04 | CCS | 6 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2-4A-01 | เก็บสำนวนคดีแดงคดีดำ | VV-03 | VV | 1 | 20.5 | 20.4 | 24.7 | 16.5 | 13.2 | 12.1 | 1500 | 7.20 | 13.80 | 0.74 | 200 | 50 | 150 | PF-3 | | 400/3/50 | |
| W2-4A-02 | HALL | VV-02 | VV | 1 | 33.8 | 24.3 | 23.9 | 16.8 | 13.5 | 12.5 | 1850 | 7.20 | 13.80 | 1.23 | 200 | 50 | 150 | PF-3 | | 400/3/50 | |
| W2-4A-03 | ห้องพิจารณาคดีใหญ่1 | VV-01 | VV | 1 | 24.9 | 18.1 | 23.4 | 17.3 | 12.3 | 11.5 | 1400 | 7.20 | 13.80 | 0.9 | 200 | 50 | 150 | PF-3 | | 400/3/50 | |
| W2-4A-04 | ห้องพิจารณาคดีใหญ่1 | VV-01 | VV | 1 | 24.9 | 18.1 | 23.4 | 17.3 | 12.3 | 11.5 | 1400 | 7.20 | 13.80 | 0.9 | 200 | 50 | 150 | PF-3 | | 400/3/50 | |
| W2-4A-05 | ห้องพิจารณาคดีใหญ่1 | VV-01 | VV | 1 | 24.9 | 18.1 | 23.4 | 17.3 | 12.3 | 11.5 | 1400 | 7.20 | 13.80 | 0.9 | 200 | 50 | 150 | PF-3 | | 400/3/50 | |
| W2-4A-06 | ห้องพิจารณาคดีเล็ก5 | VV-02 | VV | 1 | 33.8 | 24.3 | 23.9 | 16.8 | 13.5 | 12.5 | 1850 | 7.20 | 13.80 | 1.23 | 200 | 50 | 150 | PF-3 | | 400/3/50 | |
| W2-4A-07 | เก็บสำนวนคดีแดงคดีดำ | VV-03 | VV | 1 | 20.5 | 20.4 | 24.7 | 16.5 | 13.2 | 12.1 | 1500 | 7.20 | 13.80 | 0.74 | 200 | 50 | 150 | PF-3 | | 400/3/50 | |
| W2-4A-08 | ห้องพิจารณาคดีเล็ก3 | VV-02 | VV | 1 | 33.8 | 24.3 | 23.9 | 16.8 | 13.5 | 12.5 | 1850 | 7.20 | 13.80 | 1.23 | 200 | 50 | 150 | PF-3 | | 400/3/50 | |
| W2-4A-09 | ห้องพิจารณาคดีเล็ก4 | VV-02 | VV | 1 | 33.8 | 24.3 | 23.9 | 16.8 | 13.5 | 12.5 | 1850 | 7.20 | 13.80 | 1.23 | 200 | 50 | 150 | PF-3 | | 400/3/50 | |
| W2-4A-10 | SERVER | VV-02 | VV | 1 | 33.8 | 24.3 | 23.9 | 16.8 | 13.5 | 12.5 | 1850 | 7.20 | 13.80 | 1.23 | 200 | 50 | 150 | PF-3 | | 400/3/50 | |
| W2-4A-11(ST.BY) | SERVER | VV-02 | VV | 1 | 33.8 | 24.3 | 23.9 | 16.8 | 13.5 | 12.5 | 1850 | 7.20 | 13.80 | 1.23 | 200 | 50 | 150 | PF-3 | | 400/3/50 | |
| W2-4A-12 | UPS | VV-02 | VV | 1 | 33.8 | 24.3 | 23.9 | 16.8 | 13.5 | 12.5 | 1850 | 7.20 | 13.80 | 1.23 | 200 | 50 | 150 | PF-3 | | 400/3/50 | |
| W2-4A-13(ST.BY) | UPS | VV-02 | VV | 1 | 33.8 | 24.3 | 23.9 | 16.8 | 13.5 | 12.5 | 1850 | 7.20 | 13.80 | 1.23 | 200 | 50 | 150 | PF-3 | | 400/3/50 | |
| | | | | | | | | | | | | | | | | | | | | | |
| W2C-5F-01 | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W2C-5F-02 (ST.BY) | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W2C-5F-03 TO 04 | โถงลิฟต์ | CCS-02 | CCS | 2 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-5F-01 TO 02 | ห้องประชุม1 | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-5F-03 | ห้องหนังสือวิชาการ | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-5F-04 TO 05 | ห้องผลิตเอกสารวิชาการ | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-5F-06 | ผอ.วิจัย | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-5F-07 | ผู้เชี่ยวชาญ | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-5F-08 TO 29 | สนง วิจัยและวิชาการ | CCS-04 | CCS | 22 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-5F-30 TO 33 | ห้องประชุม2 | CCS-04 | CCS | 4 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-5F-34 | ห้องเตรียมอาหาร1 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-5F-35 TO 38 | สนง กลุ่มพิธีการ | CCS-04 | CCS | 4 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-5F-39 TO 42 | HALL | CCS-04 | CCS | 4 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-5F-01 TO 02 | HALL | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-5F-03 TO 05 | ห้องเก็บสำนวน1-3 | CCS-04 | CCS | 3 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-5F-06 | ห้องเตรียมอาหาร2 | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-5F-07 TO 08 | ผู้เชี่ยวชาญ1-2 | CCS-04 | CCS | 2 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-5F-09 TO 19 | สนง ล่าง | CCS-04 | CCS | 11 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-5F-20 | ผอ สน | CCS-04 | CCS | 1 | 5.2 | 4.7 | 23.9 | 16.8 | 13.5 | 12.5 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| | | | | | | | | | | | | | | | | | | | | | |
| W2C-6F-01 | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W2C-6F-02 (ST.BY) | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W2C-6F-03 TO 04 | โถงลิฟต์ | CCS-02 | CCS | 2 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-6F-01 | ตุลาการหัวหน้าคณะ1 | CCS-05 | CCS | 1 | 8.9 | 8.1 | 23.8 | 18.2 | 13.4 | 12.7 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-6F-02 TO 05 | ตุลาการ1-4 | CCS-05 | CCS | 4 | 8.9 | 8.1 | 23.8 | 18.2 | 13.4 | 12.7 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-6F-06 | ห้องเตรียมอาหาร1 | CCS-02 | CCS | 1 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-6F-07 | ห้องรับรอง1 | CCS-02 | CCS | 1 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-6F-08 TO 09 | ห้องประชุม1 | CCS-02 | CCS | 2 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-6F-10 TO 18 | สำนักงาน บน | CCS-02 | CCS | 9 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-6F-19 | ห้องเก็บสำนวน1 | CCS-02 | CCS | 1 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-6F-20 | ห้องเตรียมอาหาร2 | CCS-02 | CCS | 1 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-6F-21 TO 25 | HALL | CCS-02 | CCS | 5 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-6F-01 TO 04 | HALL | CCS-02 | CCS | 4 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-6F-05 TO 08 | ห้องประชุม2-3 | CCS-02 | CCS | 4 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-6F-9 | ห้องรับรอง2 | CCS-02 | CCS | 1 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-6F-10 TO 17 | สำนักงาน ล่าง | CCS-05 | CCS | 8 | 8.9 | 8.1 | 23.8 | 18.2 | 13.4 | 12.7 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-6F-18 TO 21 | ตุลาการ5-8 | CCS-02 | CCS | 4 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-6F-22 TO 23 | ตุลาการหัวหน้าคณะ2 | CCS-02 | CCS | 2 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-6F-24 | ห้องเตรียมอาหาร3 | CCS-02 | CCS | 1 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-6F-25 | ห้องเก็บสำนวน2 | CCS-02 | CCS | 1 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| | | | | | | | | | | | | | | | | | | | | | |
| W2C-7F-01 | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W2C-7F-02(ST.BY) | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W2C-7F-03 TO 04 | โถงลิฟต์ | CCS-02 | CCS | 2 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-7F-01 | ตุลาการหัวหน้าคณะ1 | CCS-05 | CCS | 1 | 8.9 | 8.1 | 23.8 | 18.2 | 13.4 | 12.7 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-7F-02 TO 05 | ตุลาการ1-4 | CCS-05 | CCS | 4 | 8.9 | 8.1 | 23.8 | 18.2 | 13.4 | 12.7 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-7F-06 | ห้องเตรียมอาหาร1 | CCS-02 | CCS | 1 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-7F-07 | ห้องรับรอง1 | CCS-02 | CCS | 1 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |

## DAIKIN PROPOSE

| UNIT NO. | MODEL | MODEL Remote | Q'ty (Sets.) | Cooling Cap. KW Total | Sensible Cap. KW Total | Cooling Capable Cap DIFF (%) Total | Sensible Cap DIFF (%) Total | Entering Air Temp. °CDB | Entering Air Temp. °CWB | Leaving Air Temp. °CDB | Leaving Air Temp. °CWB | Air Flow Rate L/S | Air Flow Rate DIFF (%) | Water Temp. EWT °C | Water Temp. LWT °C | Flow Rate L/S | Flow Rate GPM | Ext.Static Pressure PA | ESP DIFF (%) | Filter PRE | Filter Medium | Power Supply V/Ph/Hz | Unit Price W/C PICV Valve Warranty 2 year | Total Price W/C PICV Valve Warranty 2 year | REMARK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| W2A-3F-10 TO 14 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 5 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 200,000 | FLOWCON EVS SIZE 3/4" |
| W2B-3F-01 TO 06 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 6 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 240,000 | FLOWCON EVS SIZE 3/4" |
| W2B-3F-07 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2B-3F-08 TO 09 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2B-3F-10 TO 14 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 5 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 200,000 | FLOWCON EVS SIZE 3/4" |
| W2B-3F-15 TO 16 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| | #N/A | | 0 | | | | | | | | | | | | | | | | | | | | | | |
| W2C-4F-01 | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W2C-4F-02 (ST.BY) | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W2C-4F-03 TO 04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2A-4F-01 TO 03 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 3 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 120,000 | FLOWCON EVS SIZE 3/4" |
| W2A-4F-04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2A-4F-05 TO 07 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 3 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 120,000 | FLOWCON EVS SIZE 3/4" |
| W2B-4F-01 TO 03 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 3 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 120,000 | FLOWCON EVS SIZE 3/4" |
| W2B-4F-04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2B-4F-05 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2B-4F-06 TO 11 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 6 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 240,000 | FLOWCON EVS SIZE 3/4" |
| W2-4A-01 | DDW070CD-DRMKAALME | W/O Remote Control | 1 | 21.8 | 20.8 | 6.3% | 2.0% | 24.7 | 16.5 | 13.1 | 11.9 | 1,500 | 0.0% | 7.2 | 13.8 | 0.8 | | 150.00 | 0.0% | G4 Plate Filter | - | 380/3/50 | 92,100 | 92,100 | |
| W2-4A-02 | DDW080CD-ERMKABJUE | W/O Remote Control | 1 | 34.1 | 27.8 | 0.9% | 14.4% | 23.9 | 16.8 | 11.3 | 10.9 | 1,850 | 0.0% | 7.2 | 13.8 | 1.2 | | 150.00 | 0.0% | G4 Plate Filter | - | 380/3/50 | 103,200 | 103,200 | |
| W2-4A-03 | DDW070CD-ERMKAALGE | W/O Remote Control | 1 | 27.6 | 18.3 | 10.8% | 1.1% | 23.4 | 18.1 | 12.5 | 12.1 | 1,400 | 0.0% | 7.2 | 13.8 | 1.0 | | 150.00 | 0.0% | G4 Plate Filter | - | 380/3/50 | 96,800 | 96,800 | |
| W2-4A-04 | DDW070CD-ERMKAALGE | W/O Remote Control | 1 | 27.6 | 18.3 | 10.8% | 1.1% | 23.4 | 18.1 | 12.5 | 12.1 | 1,400 | 0.0% | 7.2 | 13.8 | 1.0 | | 150.00 | 0.0% | G4 Plate Filter | - | 380/3/50 | 96,800 | 96,800 | |
| W2-4A-05 | DDW070CD-ERMKAALGE | W/O Remote Control | 1 | 27.6 | 18.3 | 10.8% | 1.1% | 23.4 | 18.1 | 12.5 | 12.1 | 1,400 | 0.0% | 7.2 | 13.8 | 1.0 | | 150.00 | 0.0% | G4 Plate Filter | - | 380/3/50 | 96,800 | 96,800 | |
| W2-4A-06 | DDW080CD-ERMKABJUE | W/O Remote Control | 1 | 34.1 | 27.8 | 0.9% | 14.4% | 23.9 | 16.8 | 11.3 | 10.9 | 1,850 | 0.0% | 7.2 | 13.8 | 1.2 | | 150.00 | 0.0% | G4 Plate Filter | - | 380/3/50 | 103,200 | 103,200 | |
| W2-4A-07 | DDW070CD-DRMKAALME | W/O Remote Control | 1 | 21.8 | 20.8 | 6.3% | 2.0% | 24.7 | 16.5 | 13.1 | 11.9 | 1,500 | 0.0% | 7.2 | 13.8 | 0.8 | | 150.00 | 0.0% | G4 Plate Filter | - | 380/3/50 | 92,100 | 92,100 | |
| W2-4A-08 | DDW080CD-ERMKABJUE | W/O Remote Control | 1 | 34.1 | 27.8 | 0.9% | 14.4% | 23.9 | 16.8 | 11.3 | 10.9 | 1,850 | 0.0% | 7.2 | 13.8 | 1.2 | | 150.00 | 0.0% | G4 Plate Filter | - | 380/3/50 | 103,200 | 103,200 | |
| W2-4A-09 | DDW080CD-ERMKABJUE | W/O Remote Control | 1 | 34.1 | 27.8 | 0.9% | 14.4% | 23.9 | 16.8 | 11.3 | 10.9 | 1,850 | 0.0% | 7.2 | 13.8 | 1.2 | | 150.00 | 0.0% | G4 Plate Filter | - | 380/3/50 | 103,200 | 103,200 | |
| W2-4A-10 | DDW080CD-ERMKABJUE | W/O Remote Control | 1 | 34.1 | 27.8 | 0.9% | 14.4% | 23.9 | 16.8 | 11.3 | 10.9 | 1,850 | 0.0% | 7.2 | 13.8 | 1.2 | | 150.00 | 0.0% | G4 Plate Filter | - | 380/3/50 | 103,200 | 103,200 | |
| W2-4A-11(ST.BY) | DDW080CD-ERMKABJUE | W/O Remote Control | 1 | 34.1 | 27.8 | 0.9% | 14.4% | 23.9 | 16.8 | 11.3 | 10.9 | 1,850 | 0.0% | 7.2 | 13.8 | 1.2 | | 150.00 | 0.0% | G4 Plate Filter | - | 380/3/50 | 103,200 | 103,200 | |
| W2-4A-12 | DDW080CD-ERMKABJUE | W/O Remote Control | 1 | 34.1 | 27.8 | 0.9% | 14.4% | 23.9 | 16.8 | 11.3 | 10.9 | 1,850 | 0.0% | 7.2 | 13.8 | 1.2 | | 150.00 | 0.0% | G4 Plate Filter | - | 380/3/50 | 103,200 | 103,200 | |
| W2-4A-13(ST.BY) | DDW080CD-ERMKABJUE | W/O Remote Control | 1 | 34.1 | 27.8 | 0.9% | 14.4% | 23.9 | 16.8 | 11.3 | 10.9 | 1,850 | 0.0% | 7.2 | 13.8 | 1.2 | | 150.00 | 0.0% | G4 Plate Filter | - | 380/3/50 | 103,200 | 103,200 | |
| | #N/A | | 0 | | | | | | | | | | | | | | | | | | | | | | |
| W2C-5F-01 | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W2C-5F-02 (ST.BY) | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W2C-5F-03 TO 04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2A-5F-01 TO 02 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2A-5F-03 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2A-5F-04 TO 05 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2A-5F-06 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2A-5F-07 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2A-5F-08 TO 29 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 22 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 880,000 | FLOWCON EVS SIZE 3/4" |
| W2A-5F-30 TO 33 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4" |
| W2A-5F-34 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2A-5F-35 TO 38 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4" |
| W2A-5F-39 TO 42 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4" |
| W2B-5F-01 TO 02 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2B-5F-03 TO 05 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 3 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 120,000 | FLOWCON EVS SIZE 3/4" |
| W2B-5F-06 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2B-5F-07 TO 08 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2B-5F-09 TO 19 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 11 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 440,000 | FLOWCON EVS SIZE 3/4" |
| W2B-5F-20 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.0 | 5.7 | 33.8% | 20.9% | 23.9 | 16.8 | 14.0 | 12.2 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.0 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| | #N/A | | 0 | | | | | | | | | | | | | | | | | | | | | | |
| W2C-6F-01 | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W2C-6F-02 (ST.BY) | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W2C-6F-03 TO 04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2A-6F-01 | FWF17AV2SBR3 | Wireless Remote Control | 1 | 13.2 | 9.0 | 48.8% | 11.6% | 23.8 | 18.2 | 14.2 | 12.6 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 65,600 | FLOWCON EVS SIZE 1" |
| W2A-6F-02 TO 05 | FWF17AV2SBR3 | Wireless Remote Control | 4 | 13.2 | 9.0 | 48.8% | 11.6% | 23.8 | 18.2 | 14.2 | 12.6 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 262,400 | FLOWCON EVS SIZE 1" |
| W2A-6F-06 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2A-6F-07 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2A-6F-08 TO 09 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2A-6F-10 TO 18 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 9 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 360,000 | FLOWCON EVS SIZE 3/4" |
| W2A-6F-19 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2A-6F-20 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2A-6F-21 TO 25 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 5 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 200,000 | FLOWCON EVS SIZE 3/4" |
| W2B-6F-01 TO 04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4" |
| W2B-6F-05 TO 08 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4" |
| W2B-6F-9 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2B-6F-10 TO 17 | FWF17AV2SBR3 | Wireless Remote Control | 8 | 13.2 | 9.0 | 48.8% | 11.6% | 23.8 | 18.2 | 14.2 | 12.6 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 524,800 | FLOWCON EVS SIZE 1" |
| W2B-6F-18 TO 21 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4" |
| W2B-6F-22 TO 23 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2B-6F-24 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2B-6F-25 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| | #N/A | | 0 | | | | | | | | | | | | | | | | | | | | | | |
| W2C-7F-01 | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W2C-7F-02(ST.BY) | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W2C-7F-03 TO 04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2A-7F-01 | FWF17AV2SBR3 | Wireless Remote Control | 1 | 13.2 | 9.0 | 48.8% | 11.6% | 23.8 | 18.2 | 14.2 | 12.6 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 65,600 | FLOWCON EVS SIZE 1" |
| W2A-7F-02 TO 05 | FWF17AV2SBR3 | Wireless Remote Control | 4 | 13.2 | 9.0 | 48.8% | 11.6% | 23.8 | 18.2 | 14.2 | 12.6 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 262,400 | FLOWCON EVS SIZE 1" |
| W2A-7F-06 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2A-7F-07 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |

# ตารางแสดงรายการเครื่องปรับอากาศ (AHU and FCU schedule)

**PROJECT : ศูนย์ราชการโซนC ตะวันตก**

ผู้นำเสนอ : บริษัท สยามไดกิ้นเซลส์ จำกัด
Date : 9-Dec-2020

Quotation NO : QV2011010
Warranty : 2 year
REV : 00

## AIR HANDLING UNITS AND FANCOIL SCHEDULE

| UNIT NO. | LOCATION SERVED AREA | UNIT NO. Spec sheet | TYPE | Q'ty (Sets.) | Cooling Cap. KW Total | Sensible Cap KW Total | Entering Air Temp. °CDB | Entering Air Temp. °CWB | Leaving Air Temp. °CDB | Leaving Air Temp. °CWB | SA FLOW L/S | Water Temp. ENT °C | Water Temp. LEAV °C | Flow Rate L/S | Ext.Static Pressure PA | ESP From Filter PA | ESP W/O Filter PA | Filter PRE | Filter MEDIUM | Power Supply V/Ph/Hz | Remark |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| W2A-7F-08 TO 09 | ห้องประชุม1 | CCS-02 | CCS | 2 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-7F-10 TO 18 | สำนักงาน บน | CCS-02 | CCS | 9 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-7F-19 | ห้องเก็บสำนวน | CCS-02 | CCS | 1 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-7F-20 | ห้องเตรียมอาหาร2 | CCS-02 | CCS | 1 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-7F-21 TO 25 | HALL | CCS-02 | CCS | 5 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-7F-01 TO 04 | HALL | CCS-02 | CCS | 4 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-7F-05 TO 08 | ห้องประชุม2-3 | CCS-02 | CCS | 4 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-7F-09 | ห้องรับรอง2 | CCS-02 | CCS | 1 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-7F-10 TO 17 | สำนักงาน ล่าง | CCS-02 | CCS | 8 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-7F-18 TO 21 | ตุลาการ5-8 | CCS-05 | CCS | 4 | 8.9 | 8.1 | 23.8 | 18.2 | 13.4 | 12.7 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-7F-22 TO 23 | ตุลาการหัวหน้าคณะ2 | CCS-02 | CCS | 2 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-7F-24 | ห้องเตรียมอาหาร3 | CCS-02 | CCS | 1 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-7F-25 | ห้องเก็บสำนวน2 | CCS-02 | CCS | 1 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| | | | | | | | | | | | | | | | | | | | | | |
| W2C-8F-01 | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W2C-8F-02(ST.BY) | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W2C-8F-03 TO 04 | โถงลิฟต์ | CCS-02 | CCS | 2 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-8F-01 | ตุลาการหัวหน้าคณะ1 | CCS-05 | CCS | 1 | 8.9 | 8.1 | 23.8 | 18.2 | 13.4 | 12.7 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-8F-02 TO 05 | ตุลาการ1-4 | CCS-05 | CCS | 4 | 8.9 | 8.1 | 23.8 | 18.2 | 13.4 | 12.7 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-8F-06 | ห้องเตรียมอาหาร1 | CCS-02 | CCS | 1 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-8F-07 | ห้องรับรอง1 | CCS-02 | CCS | 1 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-8F-08 TO 09 | ห้องประชุม1 | CCS-02 | CCS | 2 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-8F-10 TO 18 | สำนักงาน บน | CCS-02 | CCS | 9 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-8F-19 | ห้องเก็บสำนวน | CCS-02 | CCS | 1 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-8F-20 | ห้องเตรียมอาหาร2 | CCS-02 | CCS | 1 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-8F-21 TO 25 | HALL | CCS-02 | CCS | 5 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-8F-01 TO 04 | HALL | CCS-02 | CCS | 4 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-8F-05TO 08 | ห้องประชุม2-3 | CCS-02 | CCS | 4 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-8F-09 | ห้องรับรอง2 | CCS-02 | CCS | 1 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-8F-10 TO 17 | สำนักงาน ล่าง | CCS-02 | CCS | 8 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-8F-18 TO 21 | ตุลาการ5-8 | CCS-05 | CCS | 4 | 8.9 | 8.1 | 23.8 | 18.2 | 13.4 | 12.7 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-8F-22 TO 23 | ตุลาการหัวหน้าคณะ2 | CCS-02 | CCS | 2 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-8F-24 | ห้องเตรียมอาหาร3 | CCS-02 | CCS | 1 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-8F-25 | ห้องเก็บสำนวน2 | CCS-02 | CCS | 1 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| | | | | | | | | | | | | | | | | | | | | | |
| W2C-9F-01 | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W2C-9F-02 (ST.BY) | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W2C-9F-03 TO 04 | โถงลิฟต์ | CCS-02 | CCS | 2 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-9F-01 | ตุลาการหัวหน้าคณะ1 | CCS-05 | CCS | 1 | 8.9 | 8.1 | 23.8 | 18.2 | 13.4 | 12.7 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-9F-02 TO 05 | ตุลาการ1-4 | CCS-05 | CCS | 4 | 8.9 | 8.1 | 23.8 | 18.2 | 13.4 | 12.7 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-9F-06 | ห้องเตรียมอาหาร1 | CCS-02 | CCS | 1 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-9F-07 | ห้องรับรอง1 | CCS-02 | CCS | 1 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-9F-08 TO 09 | ห้องประชุม1 | CCS-02 | CCS | 2 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-9F-10 TO 18 | สำนักงาน บน | CCS-02 | CCS | 9 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-9F-19 | ห้องเก็บสำนวน1 | CCS-02 | CCS | 1 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-9F-20 | ห้องอเนกประสงค์ | CCS-02 | CCS | 1 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-9F-21 TO 25 | HALL | CCS-02 | CCS | 5 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-9F-01 TO 06 | HALL | CCS-02 | CCS | 6 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-9F-07 | ห้องเตรียมอาหาร2 | CCS-02 | CCS | 1 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-9F-08 TO 20 | ประธานแผนกคดี3-5 | CCS-02 | CCS | 13 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-9F-21 TO 23 | ประชุม2-4 | CCS-02 | CCS | 3 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-9F-24 TO 26 | ห้องอ่านหนังสือ1-3 | CCS-02 | CCS | 3 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-9F-27 TO 32 | ห้องทำงาน1-3 | CCS-02 | CCS | 6 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-9F-33 TO 35 | ห้องรับรอง2-4 | CCS-02 | CCS | 3 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-9F-36 TO 37 | ห้องเก็บสำนวน2-3 | CCS-02 | CCS | 3 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| | | | | | | | | | | | | | | | | | | | | | |
| W2C-10F-01 | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W2C-10F-02(ST.BY) | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W2C-10F-03 TO 04 | โถงลิฟต์ | CCS-02 | CCS | 2 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-10F-01 TO 02 | ห้องประชุม1-2 | CCS-05 | CCS | 2 | 8.9 | 8.1 | 23.8 | 18.2 | 13.4 | 12.7 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-10F-03 TO 08 | ห้องทำงาน1-2 | CCS-02 | CCS | 6 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-10F-09 TO 10 | ห้องหนังสือ 1-2 | CCS-05 | CCS | 2 | 8.9 | 8.1 | 23.8 | 18.2 | 13.4 | 12.7 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-10F-11 TO 12 | ห้องเก็บสำนวน1-2 | CCS-02 | CCS | 2 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-10F-13 | ห้องรับรอง1 | CCS-02 | CCS | 1 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-10F-14 | ห้องรับรอง2 | CCS-05 | CCS | 1 | 8.9 | 8.1 | 23.8 | 18.2 | 13.4 | 12.7 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-10F-15 TO 26 | สนง บน1-2 | CCS-02 | CCS | 12 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-10F-27 TO 28 | ห้องยุทศาสตร์ | CCS-02 | CCS | 2 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-10F-29 TO 33 | HALL | CCS-02 | CCS | 5 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-10F-01 TO 06 | HALL | CCS-02 | CCS | 6 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-10F-07 TO 08 | ห้องเตรียมอาหาร3 | CCS-02 | CCS | 2 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-10F-09 TO 14 | สนง ล่าง | CCS-02 | CCS | 6 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-10F-15 | ห้องเก็บสำนวน2 | CCS-02 | CCS | 1 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-10F-16 | ห้องประชุม3 | CCS-05 | CCS | 1 | 8.9 | 8.1 | 23.8 | 18.2 | 13.4 | 12.7 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-10F-17 | ห้องรับรอง3 | CCS-02 | CCS | 1 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-10F-18 TO 20 | ห้องทำงาน3 | CCS-02 | CCS | 3 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-10F-21 | ห้องหนังสือ3 | CCS-05 | CCS | 1 | 8.9 | 8.1 | 23.8 | 18.2 | 13.4 | 12.7 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| | | | | | | | | | | | | | | | | | | | | | |
| W2C-11F-01 | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |
| W2C-11F-02(ST.BY) | TEL RM | CC-01 | CC W/ PLENUM | 1 | 2.2 | 1.5 | 23.8 | 18.2 | 13.4 | 12.7 | 150 | 7.20 | 13.80 | 0.08 | 50 | - | 50 | MS-1 | | 230/1/50 | |

## DAIKIN PROPOSE

| UNIT NO. | MODEL | MODEL Remote | Q'ty (Sets.) | Cooling Cap. KW Total | Sensible Cap. KW Total | Cooling Capable Cap DIFF (%) Total | Sensible Cap DIFF (%) Total | Entering Air Temp. °CDB | Entering Air Temp. °CWB | Leaving Air Temp. °CDB | Leaving Air Temp. °CWB | Air Flow Rate L/S | Air Flow Rate DIFF (%) | Water Temp. EWT °C | Water Temp. LWT °C | Flow Rate L/S | Flow Rate GPM | Ext.Static Pressure PA | ESP DIFF (%) | Filter PRE | Filter Medium | Power Supply V/Ph/Hz | Unit Price W/C PICV Valve Warranty 2 year | Total Price W/C PICV Valve Warranty 2 year | REMARK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| W2A-7F-08 TO 09 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2A-7F-10 TO 18 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 9 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 360,000 | FLOWCON EVS SIZE 3/4" |
| W2A-7F-19 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2A-7F-20 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2A-7F-21 TO 25 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 5 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 200,000 | FLOWCON EVS SIZE 3/4" |
| W2B-7F-01 TO 04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4" |
| W2B-7F-05 TO 08 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4" |
| W2B-7F-09 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2B-7F-10 TO 17 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 8 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 320,000 | FLOWCON EVS SIZE 3/4" |
| W2B-7F-18 TO 21 | FWF17AV2SBR3 | Wireless Remote Control | 4 | 13.2 | 9.0 | 48.8% | 11.6% | 23.8 | 18.2 | 14.2 | 12.6 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 262,400 | FLOWCON EVS SIZE 1" |
| W2B-7F-22 TO 23 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2B-7F-24 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2B-7F-25 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| | #N/A | | 0 | | | | | | | | | | | | | | | | | | | | | | |
| W2C-8F-01 | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W2C-8F-02(ST.BY) | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W2C-8F-03 TO 04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2A-8F-01 | FWF17AV2SBR3 | Wireless Remote Control | 1 | 13.2 | 9.0 | 48.8% | 11.6% | 23.8 | 18.2 | 14.2 | 12.6 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 65,600 | FLOWCON EVS SIZE 1" |
| W2A-8F-02 TO 05 | FWF17AV2SBR3 | Wireless Remote Control | 4 | 13.2 | 9.0 | 48.8% | 11.6% | 23.8 | 18.2 | 14.2 | 12.6 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 262,400 | FLOWCON EVS SIZE 1" |
| W2A-8F-06 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2A-8F-07 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2A-8F-08 TO 09 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2A-8F-10 TO 18 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 9 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 360,000 | FLOWCON EVS SIZE 3/4" |
| W2A-8F-19 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2A-8F-20 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2A-8F-21 TO 25 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 5 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 200,000 | FLOWCON EVS SIZE 3/4" |
| W2B-8F-01 TO 04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4" |
| W2B-8F-05TO 08 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 4 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 160,000 | FLOWCON EVS SIZE 3/4" |
| W2B-8F-09 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2B-8F-10 TO 17 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 8 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 320,000 | FLOWCON EVS SIZE 3/4" |
| W2B-8F-18 TO 21 | FWF17AV2SBR3 | Wireless Remote Control | 4 | 13.2 | 9.0 | 48.8% | 11.6% | 23.8 | 18.2 | 14.2 | 12.6 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 262,400 | FLOWCON EVS SIZE 1" |
| W2B-8F-22 TO 23 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2B-8F-24 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2B-8F-25 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| | #N/A | | 0 | | | | | | | | | | | | | | | | | | | | | | |
| W2C-9F-01 | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W2C-9F-02 (ST.BY) | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W2C-9F-03 TO 04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2A-9F-01 | FWF17AV2SBR3 | Wireless Remote Control | 1 | 13.2 | 9.0 | 48.8% | 11.6% | 23.8 | 18.2 | 14.2 | 12.6 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 65,600 | FLOWCON EVS SIZE 1" |
| W2A-9F-02 TO 05 | FWF17AV2SBR3 | Wireless Remote Control | 4 | 13.2 | 9.0 | 48.8% | 11.6% | 23.8 | 18.2 | 14.2 | 12.6 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 262,400 | FLOWCON EVS SIZE 1" |
| W2A-9F-06 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2A-9F-07 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2A-9F-08 TO 09 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2A-9F-10 TO 18 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 9 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 360,000 | FLOWCON EVS SIZE 3/4" |
| W2A-9F-19 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2A-9F-20 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2A-9F-21 TO 25 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 5 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 200,000 | FLOWCON EVS SIZE 3/4" |
| W2B-9F-01 TO 06 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 6 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 240,000 | FLOWCON EVS SIZE 3/4" |
| W2B-9F-07 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2B-9F-08 TO 20 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 13 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 520,000 | FLOWCON EVS SIZE 3/4" |
| W2B-9F-21 TO 23 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 3 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 120,000 | FLOWCON EVS SIZE 3/4" |
| W2B-9F-24 TO 26 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 3 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 120,000 | FLOWCON EVS SIZE 3/4" |
| W2B-9F-27 TO 32 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 6 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 240,000 | FLOWCON EVS SIZE 3/4" |
| W2B-9F-33 TO 35 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 3 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 120,000 | FLOWCON EVS SIZE 3/4" |
| W2B-9F-36 TO 37 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 3 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 120,000 | FLOWCON EVS SIZE 3/4" |
| | #N/A | | 0 | | | | | | | | | | | | | | | | | | | | | | |
| W2C-10F-01 | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W2C-10F-02(ST.BY) | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W2C-10F-03 TO 04 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2A-10F-01 TO 02 | FWF17AV2SBR3 | Wireless Remote Control | 2 | 13.2 | 9.0 | 48.8% | 11.6% | 23.8 | 18.2 | 14.2 | 12.6 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 131,200 | FLOWCON EVS SIZE 1" |
| W2A-10F-03 TO 08 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 6 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 240,000 | FLOWCON EVS SIZE 3/4" |
| W2A-10F-09 TO 10 | FWF17AV2SBR3 | Wireless Remote Control | 2 | 13.2 | 9.0 | 48.8% | 11.6% | 23.8 | 18.2 | 14.2 | 12.6 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 131,200 | FLOWCON EVS SIZE 1" |
| W2A-10F-11 TO 12 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2A-10F-13 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2A-10F-14 | FWF17AV2SBR3 | Wireless Remote Control | 1 | 13.2 | 9.0 | 48.8% | 11.6% | 23.8 | 18.2 | 14.2 | 12.6 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 65,600 | FLOWCON EVS SIZE 1" |
| W2A-10F-15 TO 26 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 12 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 480,000 | FLOWCON EVS SIZE 3/4" |
| W2A-10F-27 TO 28 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2A-10F-29 TO 33 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 5 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 200,000 | FLOWCON EVS SIZE 3/4" |
| W2B-10F-01 TO 06 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 6 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 240,000 | FLOWCON EVS SIZE 3/4" |
| W2B-10F-07 TO 08 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| W2B-10F-09 TO 14 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 6 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 240,000 | FLOWCON EVS SIZE 3/4" |
| W2B-10F-15 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2B-10F-16 | FWF17AV2SBR3 | Wireless Remote Control | 1 | 13.2 | 9.0 | 48.8% | 11.6% | 23.8 | 18.2 | 14.2 | 12.6 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 65,600 | FLOWCON EVS SIZE 1" |
| W2B-10F-17 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| W2B-10F-18 TO 20 | FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 3 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 120,000 | FLOWCON EVS SIZE 3/4" |
| W2B-10F-21 | FWF17AV2SBR3 | Wireless Remote Control | 1 | 13.2 | 9.0 | 48.8% | 11.6% | 23.8 | 18.2 | 14.2 | 12.6 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 65,600 | FLOWCON EVS SIZE 1" |
| | #N/A | | 0 | | | | | | | | | | | | | | | | | | | | | | |
| W2C-11F-01 | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |
| W2C-11F-02(ST.BY) | FWW400C-6RBFAAAE | W/O Remote Control | 1 | 2.9 | 2.3 | 33.6% | 52.0% | 23.8 | 18.2 | 14.2 | 13.7 | 194 | 29.1% | 7.2 | 13.8 | 0.1 | | 50.00 | 0.0% | Nylon Filter | - | 220/1/50 | 8,500 | 8,500 | |

**ตารางแสดงรายการเครื่องปรับอากาศ (AHU and FCU schedule)**

**PROJECT :** ศูนย์รายการโชนC ตะวันตก

ผู้นำเสนอ : บริษัท สยามไดกันเซลส์ จำกัด
Date : 9-Dec-2020

**Quotation NO :** QV2011010
**Warranty :** 2 year
**REV :** 00

## AIR HANDLING UNITS AND FANCOIL SCHEDULE

| UNIT NO. | LOCATION SERVED | UNIT NO. Spec sheet | TYPE | Q'ty | Cooling Cap. KW | Sensible Cap KW | Entering Air Temp. | | Leaving Air Temp. | | SA FLOW | Water Temp. ENT | Water Temp. LEAV | Flow Rate | Ext.Static Pressure | ESP From Filter | ESP W/O Filter | Filter | | Power Supply | Remark |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | AREA | | | ( Sets.) | Total | Total | °CDB | °CWB | °CDB | °CWB | L/S | °C | °C | L/S | PA | PA | PA | PRE | MEDIUM | V/Ph/Hz | |
| W2C-11F-03 TO 04 | โถงลิฟต์ | CCS-02 | CCS | 2 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-11-01 TO 16 | ห้องสันนา1 | CCS-02 | CCS | 16 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-11-17 TO 27 | ห้องสันนา2 | CCS-02 | CCS | 11 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-11-28 | ห้องรับรอง | CCS-02 | CCS | 1 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2A-11-29 TO 34 | HALL | CCS-02 | CCS | 6 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| | | | | | | | | | | | | | | | | | | | | | |
| W2B-11-01 TO 05 | HALL | CCS-02 | CCS | 5 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-11-06 | ห้องรับรอง2 | CCS-05 | CCS | 1 | 8.9 | 8.1 | 23.8 | 18.2 | 13.4 | 12.7 | 540 | 7.20 | 13.80 | 0.32 | - | - | - | MS-1 | | 230/1/50 | |
| W2B-11-07 TO 16 | ห้องทานอาหารคุลากร1 | CCS-02 | CCS | 10 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/52 | |
| W2B-11-17 TO 26 | ห้องทานอาหารคุลากร2 | CCS-02 | CCS | 10 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/53 | |
| W2B-11-27 TO 28 | ห้องเตรียมอาหาร | CCS-02 | CCS | 3 | 5.2 | 4.7 | 23.8 | 18.2 | 13.4 | 12.7 | 370 | 7.20 | 13.80 | 0.19 | - | - | - | MS-1 | | 230/1/54 | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| **TOTAL UNIT** | | | | 1334 | | | | | | | | | | | | | | | | | |

## DAIKIN PROPOSE

| MODEL | MODEL Remote | Q'ty | Cooling Cap. KW | Sensible Cap. KW | ling Capasible Cap DIFF ( % ) | DIFF ( % | Entering Air Temp. | | Leaving Air Temp. | | Air Flow Rate | Air Flow Rate DIFF ( % ) | Water Temp. EWT | Water Temp. LWT | Flow Rate | Flow Rate | Ext.Static Pressure | ESP DIFF ( % ) | Filter | | Power Supply | Unit Price W/C PICV Valve Warranty 2 year | Total Price W/C PICV Valve Warranty 2 year | REMARK |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ( Sets.) | Total | Total | Total | Total | °CDB | °CWB | °CDB | °CWB | L/S | | °C | °C | L/S | GPM | PA | | PRE | Medium | V/Ph/Hz | | | |
| FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 2 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 80,000 | FLOWCON EVS SIZE 3/4" |
| FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 16 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 640,000 | FLOWCON EVS SIZE 3/4" |
| FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 11 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 440,000 | FLOWCON EVS SIZE 3/4" |
| FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 1 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 40,000 | FLOWCON EVS SIZE 3/4" |
| FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 6 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 240,000 | FLOWCON EVS SIZE 3/4" |
| #N/A | | 0 | | | | | | | | | | | | | | | | | | | | | | |
| FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 5 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 200,000 | FLOWCON EVS SIZE 3/4" |
| FWF17AV2SBR3 | Wireless Remote Control | 1 | 13.2 | 9.0 | 48.8% | 11.6% | 23.8 | 18.2 | 14.2 | 12.6 | 802 | 48.6% | 7.2 | 13.8 | 0.4 | 6.0 | - | | Saranet Filter | - | 220/1/50 | 65,600 | 65,600 | FLOWCON EVS SIZE 1" |
| FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 10 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 400,000 | FLOWCON EVS SIZE 3/4" |
| FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 10 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 400,000 | FLOWCON EVS SIZE 3/4" |
| FWK11E-ACCAA | BFWKE-QGS02CO+Wireless remote | 3 | 7.7 | 5.5 | 47.5% | 17.7% | 23.8 | 18.2 | 14.2 | 13.4 | 472 | 27.6% | 7.2 | 6.6 | 0.3 | 4.4 | - | | Saranet Filter | - | 220/1/50 | 40,000 | 120,000 | FLOWCON EVS SIZE 3/4" |
| #N/A | | 0 | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 1338 | | | | | | | | | | | | | | | | | | | | **TOTAL PRICE** | **86,873,200** | |

NOTE :

1. COOLING COIL FACE VELOCITY SHALL NOT EXCEED 2.5 m/s FOR AHU AND 2.25 m/s FOR FCU.
2. WATER SIDE PRESSURE DROP OF COOLING COIL SHALL NOT EXCEED 45 kPa
3. EXTERNAL STATIC PRESSURE OF BLOWER SHOWN IN SCHEDULE SHALL BE THE SUM OF ALL SYSTEM COMPONENT PRESSURE LOSSES EXCEPT COOLING COIL AND CASING OF AHU OR FCU.
4. TYPE OF AHU & FCU
   - 4.1 FOR AHU :
     - V V = VERTICAL MOUNTED, VERTICAL DISCHARGE
     - V H = VERTICAL MOUNTED, HORIZONTAL DISCHARGE
     - H V = HORIZONTAL MOUNTED, VERTICAL DISCHARGE
     - H H = HORIZONTAL MOUNTED, HORIZONTAL DISCHARGE
     - HD = HORIZONTAL MOUNTED, DOWN DISCHARGE
   - 4.2 FOR FCU :
     - FC = FLOOR MOUNTED, CONCEALED TYPE
     - WE = WALL MOUNTED, EXPOSED TYPE
     - CC = CEILING MOUNTED, CONCEALED TYPE
     - CE = CEILING MOUNTED, EXPOSED TYPE
     - CCS = CEILING MOUNTED, CASSETTE TYPE

   FAN AND CASING ARRANGEMENT OF AHU & FCU ON THIS TABLE ARE GUIDELINE ONLY. THE CONTRACTOR SHALL PROPERLY SELECT AHU & FCU TYPE TO CONFORM THE ACTUAL EQUIPMENT LAYOUT AND SITE CONDITIONS.
5. TYPE OF CONTROL VALVE
   - 2W-OF = 2-WAY MOTORIZED VALVE ; ON-OFF TYPE
   - 2W-P = 2-WAY MOTORIZED VALVE ; PROPORTIONAL TYPE
   - 2W-OF-PICV = 2-WAY PRESSURE INDEPENDENT CONTROL VALVE ; ON-OFF TYPE
   - 2W-P-PICV = 2-WAY PRESSURE INDEPENDENT CONTROL VALVE ; PROPORTIONAL TYPE
6. TYPE OF AIR FILTER (FOR MATERIAL AND OTHER DETAILS, SEE SPECIFICATION)

| TYPE | EFFICIENCY ASHRAE 52.1 | EFFICIENCY ASHRAE 52.2 | EFFICIENCY EN 779 | THICKNESS (mm.) |
|---|---|---|---|---|
| PF-1 | 65% ARR | MERV2 | G2 | 5 |
| PF-2 | 85% ARR | MERV5 | G3 | 50 |
| PF-3 | 90% ARR, 25% EFF | MERV7 | G4 | 100 |
| PF-4 | 75% ARR | MERV4 | G2 | 50 |
| MF-1 | 90% EFF | MERV13 | F7 | 300 |
| MF-2 | 90% EFF | MERV14 | F8 | 550 |
| MF-3 | 80% EFF | MERV13 | F7 | 300 |
| MF-4 | 90% EFF | MERV14 | F8 | 300 |

| TYPE | EFFICIENCY | THICKNESS (mm.) |
|---|---|---|
| FF-1 | HEPA, 99.97% DOP EFF. (EST RP-CC001.3 | 145 / 290 |
| FF-2 | HEPA, 99.99% DOP EFF. (EST RP-CC001.3 | 145 / 290 |
| FF-3 | ULPA, 99.999% DOP EFF. (EST RP-CC001.3 | 145 / 290 |
| A-1 | ELECTRONIC AIR CLEANER | |
| A-2 | COMBINATION ELECTRONIC AND MECHANICAL | |
| A-3 | CARBON FILTER + 50mm. PRE-FILTER | |
| MS-1 | MANUFACTURER'S STANDARD (NYLON SCREEN) | |

7. THE SELECTED EQUIPMENT SHALL ACHIEVE ALL SPECIFIED CAPACITY (TOTAL, SENSIBLE AND SUPPLY AIR).

Remark.

model FAN COIL UNIT, AIR HEADING UNIT.
- This quotation exclude remote control, starter box motor and VSD starter box motor .
- This quotation exclude 2-way and 3-way valve.
- Delivery lead time within 90-120 days from DAMA.
- Delivery lead time within 90-120 days from DRM and MQ.SZ
- Delivery lead time within 45-60 days from DAT
- Detail specific in attachment
- External static pressure(ESP) shell be calculated again by the contractor or the designer.

| APPROVED BY MGR. SEC. | CHECKED BY ENG. | PREPARED BY ENG. |
|---|---|---|
| . | . | Visarut H. |

Johnson Controls International (Thailand) Co., Ltd.
719 KPN Tower 8th Floor, Rama 9 Rd,
Huaywang, Bangkapi, Bangkok 10310 Thailand
Telephone no. : (+66) 2717-1260-80
Facsimile no. : (+66) 2717-1325-6
www.johnsoncontrols.com

INTEGRITY EVERY DAY

Johnson Controls

# QUOTATION

DATE : 19/11/2020 PAGE : 1/1
OUR REF. NO. : JCC-FY21-0006-KTH-0
QUOTED TO : EEC Engineering Net Work Co., Ltd.
ATTENTION : คุณชำนาญ สายวงศ์
TEL/MOBILE : 086-534-2872
PROJECT : งานศูนย์ราชการ zone (W1 & W2)

| Item | Part Number | Description | Q'ty | Unit | Unit Price (Baht) | Discount (%) | Net Price (Baht) | Total Price (Baht) |
|---|---|---|---|---|---|---|---|---|
| | | YORK DC Fan Coil Unit | | | | | | |
| | | FCU | | | | | | |
| 1.1 | Y1GW04CDE--M-WX | DC Fan Coil Units with wired controller | 4 | EA | 39,383.06 | 25% | 29,537.30 | 118,149.19 |
| 1.2 | YFGW05CDL--M3WN | DC Fan Coil Units with wired controller | 44 | EA | 25,133.98 | 25% | 18,850.48 | 829,421.21 |
| 1.3 | YKGW08CDE--M-WX | DC Fan Coil Units with wired controller | 1114 | EA | 27,714.96 | 25% | 20,786.22 | 23,155,849.08 |
| 1.4 | YKGW15CDE--M-WX | DC Fan Coil Units with wired controller | 123 | EA | 42,865.20 | 25% | 32,148.90 | 3,954,314.70 |
| 1.5 | YAGW12CDE-M-WX | DC Fan Coil Units with wired controller | 4 | EA | 31,147.20 | 25% | 23,360.40 | 93,441.60 |
| 1.6 | AHU | | 19 | EA | | 25% | - | TBC |
| | | | | | | | | - |

REMARK :

| | |
|---|---|
| TOTAL PRICE | 28,151,175.78 |
| VAT 7% | 1,970,582.30 |
| TOTAL PRICE INCLUDED VAT | 30,121,758.08 |

## Terms and Conditions

1. Validity Period : 30 days (This offer is open for acceptance. Should extension of validity be required, please contact us.)
2. Delivery : 60 days (From the date on which the order is accepted)
3. Warranty : 12 months (Starting from handover process and under normal use condition)
4. Term of Payment : ____ days (Credit Term)
5. Other : Cancellation over 7 days after order confirmation date (PO Date), Penalty is 10%-50% of contract value upon JC's consideration.

Yours faithfully,

Kornchanok T.

.....

Kornchanok Thanasomboon
Channel Sales Manager
(Mobile : 086-414-2956 )

.....